

THE NEW ELASTIC SKIS

EFFICIENT FORWARD >>





PRACTICING WAS YESTERDAY, ENJOYMENT IS NOW.

Practice makes perfect – but most of the time it isn't fun. The good feeling of smooth motion is something quite different: this is what makes your time on the track an unforgettable experience! And to make sure this not only happens sooner but also lasts longer, Fischer gives you Efficient Forward. Thanks to the revolutionary composition of proven materials, the elasticity of the body of the ski is increased remarkably. It fills beginners and advanced recreational skiers with enthusiasm, thanks to a forgiving kick action and a new, carefree skiing experience. If you would rather glide with ease than practice hard, then a Fischer Sport model with Efficient Forward is the right choice for you!


EFFICIENT KICK

Full concentration on the snow-covered winter landscape instead of the kick action! Because Efficient Forward technology compensates any errors and flaws in the kick action effectively. The new elasticity of the ski supports the interaction of the climbing zone and the snow beneath it in a previously unknown form. The result: the timing of the kick action does not have to be so exact, leaving you more time for the contact in the kick phase. This ensures that power is transferred to the track in impressive style, even if your own skiing style is not world championship level. This positive feedback from the equipment is a great motivator when it comes to having fun with healthy exercise while enjoying the great outdoors!

EASY-GOING

Enjoying the perfect skiing experience has never been as easy as it is today: which comes as no surprise, seeing as the weight saved by the new construction compared to the previous model is up to 200 grams. The combination of this light weight and the elasticity of the ski culminates in the whole new, forgiving kick action and carefree cross country skiing experience. This will be appreciated above all by skiers who are not so technically accomplished. A word of warning: with Efficient Forward, Fischer has given its Sport models a technology package which can become addictive!

BECAUSE NOT EVERYONE HAS THE KICK ACTION OF A RACER:



EASIER POWER TRANSMISSION & MORE TIME FOR KICK ACTION:

EFFICIENT KICK

REVOLUTIONARY COMPOSITION & WEIGHT SAVING UP TO 200g: **EASY-GOING**



SUPREME CROWN / WAX EF



SKI

NIS N39616 / NIS N39816

179-204cm Lengths 46-42-44 Sidecut

Weight/Length 1.190g/194cm / 1.220g/194cm

MIS

BINDING S60116

TOURING CLASSIC NIS BLACK

Flex 40 ShA

automatic Fixation

TECHNOLOGY HIGHLIGHTS

- Efficient Forward
- Air Core Basalite
- · Vario Crown / Wax

CUSTOMER BENEFIT

- Extremely light
- True race performance
- Efficient kick and easy-going skiing experience

ULTRALITE CROWN EF





Lengths

Sidecut

NIS N41116 179-204cm 49-45-47 Weight/Length 1.320g/194cm

Base

Protec

MIS

BINDING S60016

TOURING CLASSIC NIS WHITE

Flex 40 ShA

automatic Fixation

TECHNOLOGY HIGHLIGHTS

- Efficient Forward
- Air Tec Basalite
- Vario Crown

CUSTOMER BENEFIT

- Very light
- Sporty potential
- Efficient kick and easy-going skiing experience

FIBRE CROWN EF

EFFICIENT FORWARD >>



SKI

NIS N43616 179 - 204cm Lengths 51-46-49 Sidecut Weight/Length 1.390g/194cm

Sintec

MIS BINDING

S60016

TOURING CLASSIC NIS WHITE

Flex Fixation automatic

40 ShA

TECHNOLOGY HIGHLIGHTS

- Efficient Forward
- Air Channel Basalite
- Vario Crown

CUSTOMER BENEFIT

- · For newcomers and advanced
- Notably lighter than its predecessor
- Efficient kick and easy-going skiing experience

SPORT GLASS EF

EFFICIENT FORWARD >>



SKI NIS N44116 Lengths 179-204cm

Sidecut 51-46-49 Weight/Length 1.420g/194cm

Sintec



RINDING S60016

TOURING CLASSIC NIS WHITE

40 ShA Flex

Fixation automatic

TECHNOLOGY HIGHLIGHTS

- · Efficient Forward
- Air Channel Basalite
- Speed Grinding

CUSTOMER BENEFIT

- · For newcomers and advanced
- Notably lighter than its predecessor
- Efficient kick and easy-going skiing experience

SPORTY CROWN / WAX



Base

CROWN NIS N45716 WAX NIS N46216 Lengths 179-204cm 52-48-50

Sidecut Weight/Length 1.620g/194cm/1.650g/194cm

Base Sintec



BINDING S60016

TOURING CLASSIC NIS WHITE

40 ShA Fixation automatic



- Air Channel
- Premium Crown / Wax
- Ultra Tuning

CUSTOMER BENEFIT

- Proven entry-level ski
- Good-natured skiing characteristics
- Uncomplicated enjoyment

FISCHER .

FISCHER 🚺

TWIN SKIN MAKES THE FLEET COMPLETE





TWIN SKIN – A WHOLE NEW LEVEL OF SKIN SKI PERFORMANCE.

Fischer equipment has been setting the standards on the track for years. With the new Twin Skin Race and Twin Skin Pro skis in addition to the Vario Crown and Zero+ models, Fischer rounds off its range of climbing-waxless skis for sporty cross country skiers.

Two separate skin strips arranged in offset positions and with variable base-depth integration result in smooth and balanced gliding. Mohair skins ensure you can rely on the kick action, especially in hard or icy conditions. Thanks to the unique Teflon coating of the skins, moisture absorption and subsequent icing is completely minimised.

THREE TECHNOLOGIES IN ACTION.

With Twin Skin, Vario Crown and Zero+ Fischer once again has the perfect solution for all temperature and snow conditions! The diagram shows the optimum areas of use for all three technologies. You can see quite clearly not only the all-round suitability of Vario Crown but also the superior performance of Twin Skin in hard or icy conditions. The Zero+ on the other hand is a special ski for temperatures around the 0°C mark and warmer.

TWIN SKIN RACE / PRO

SKI

Lengths 187-207 / 182-207cm Sidecut 41-44-44 Weight/Length 1.190g/197cm / 1.330g/197cm

1.330g/197cm WC Plus / WC Pro

TWIN SKIN RACE Soft-Med: NIS N2661 Med-Stiff: NIS N2671

Med-Stiff: NIS N26715

TWIN SKIN PRO

NIS N26916

BINDING S50115 / S55315 XCELERATOR CLASSIC 2.0 BLACK / PERFORMANCE CLASSIC NIS BLACK/WHITE Flex 40 ShA

Fixation 40 ShA Fixation manual

TECHNOLOGY HIGHLIGHTS

Twin Skin

SKIN

- Power Edge / Power Layer
- Air Core Basalite Pro / Air Tec Basalite

- Safe kick action especially in hard or icy conditions
- Harmonious gliding characteristics
- Icing up reduced to an absolute minimum



SPEEDMAX: NOTHING FOR SLOW MOVERS.

If the goal is full power then the equipment has to be Speedmax. In the World Cup, the name itself is enough to demand the respect of opponents which is then confirmed by the successful Fischer Classic athletes and their impressive results. And the new, ultralight Speedmax boot – which, with the skis and poles, rounds off the high-end package – knows no mercy either. Together with the RACE CODE seal of quality, Speedmax is the guarantee for a breathtaking World Cup feeling.

SPEEDMAX CLASSIC PLUS / COLD

Lengths 187-207cm
Sidecut 41-44-44
Weight/Length 1.030g/197cm
Base WC Plus / Cold

 SPEEDMAX CLASSIC PLUS

 Soft:
 NIS N07715

 Medium:
 NIS N07815

 Stiff:
 NIS N07915

SPEEDMAX CLASSIC COLD Soft: NIS N06715

Medium: NIS N06815 Stiff: NIS N06915

BINDING S50215

XCELERATOR PRO CLASSIC NIS
BLACK/DARKGREY
Flex 40 ShA

Flex 40 ShA Fixation manual

TECHNOLOGY HIGHLIGHTS

- Cold Base Bonding
- Finish First
- Precision Pairing System

- Forward-thinking technologies for maximum speed
- Greatly improved wax absorption and base grindability
- Developed with World Cup pros







SKI Lengths

Sidecut

Base

SKI

SKI

Lengths

Sidecut

Base

Lengths

Sidecut

R^⊂=::00= 192 - 207cm

41 - 44 - 44 Sidecut Weight/Length 1.030g/197cm WC C-Special / Plus



Fixation

BINDING S50215 XCELERATOR PRO CLASSIC NIS BLACK/DARKGREY 40 ShA Flex

manual

SPEEDMAX CLASSIC C-SPECIAL

Soft: NIS N08715 Medium: NIS N08815

SPEEDMAX ZERO+ Soft: NIS N09715 Medium: NIS N09815

The trump card of specialists

TECHNOLOGY HIGHLIGHTS

Precision Pairing System

Cold Base Bonding

CUSTOMER BENEFIT

Finish First

Forward-thinking technologies for maximum speed

Developed with World Cup pros

CARBONLITE CLASSIC PLUS / COLD

187 - 207 / 192 - 207cm

41 - 44 - 44

WC Plus / Cold

187 - 207cm

WC Plus / Cold

187 - 207cm

41 - 44 - 44

WC Plus

41-44-44





BINDING S50115 XCELERATOR CLASSIC 2.0

NIS BLACK 40 ShA

Fixation manual

CARBONLITE CLASSIC PLUS Soft: NIS N13715

Medium: NIS N13815 Stiff: NIS N13915

CARBONLITE CLASSIC COLD NIS N12715 Soft:

NIS N12815 Stiff: NIS N12915

TECHNOLOGY HIGHLIGHTS

- Finish First
- Precision Pairing System
- Prewaxed

CUSTOMER BENEFIT

- · World Cup level performance
- Best gliding properties
- Extremely light

RCS CLASSIC PLUS / COLD

Weight/Length 980g/197cm









Soft: NIS N19715 Medium: NIS N19815 BINDING S50115 Stiff: NIS N19915 XCELERATOR CLASSIC 2.0

NIS BLACK RCS CLASSIC COLD 40 ShA Soft: NIS N18715 Medium: NIS N18815 manual

TECHNOLOGY HIGHLIGHTS

- Precision Pairing System
- Finish First
- Prewaxed

CUSTOMER BENEFIT

- · Winners' ski with World Cup experience
- Best gliding properties
- · Light weight

RCS ZERO+ / **RCS CROWN**

Weight/Length 1.090g/197cm





THIS

Flex

Fixation

BINDING S50115 XCELERATOR CLASSIC 2.0

NIS BLACK Flex

40 ShA Fixation manual RCS ZERO+

NIS N20715 Soft: Medium: NIS N20815

RCS CROWN

Medium: NIS N25215 Stiff: NIS N25315

TECHNOLOGY HIGHLIGHTS


- · Zero+ / Vario Crown
- Finish First
- Prewaxed

CUSTOMER BENEFIT

- · Special models when no wax expert is on hand
- · Winners' ski with World Cup experience
- Best gliding properties

RCR CLASSIC / RCR CROWN

Weight/Length 1.090g/197cm





187 - 207 / 182 - 207cm Lengths 41-44-44 Sidecut Weight/Length 1.190g/197cm Base WC Plus



BINDING S55315 PERFORMANCE CLASSIC NIS BLACK/WHITE

40 ShA Flex Fixation manual

RCR CLASSIC

Soft-Med: NIS N22615 Med-Stiff: NIS N22715

RCR CROWN

Medium: NIS N23815 Stiff: NIS N23915

TECHNOLOGY HIGHLIGHTS

- Precision Pairing System
- Finish First
- Prewaxed

- · High-quality alternatives to the World Cup models
- For all snow conditions
- · Reliable companion for ski marathons









SKI Lengths

7<u>^</u>C=000€ 176 - 191cm

Sidecut 41-44-44 Weight/Length 1.030g/186cm WC C-Special Base

THIS

BINDING S49015 XCELERATOR PRO SKATE NIS

BI ACK Flex Fixation

60 ShA manual

SPEEDMAX SKATE C-SPECIAL

TECHNOLOGY HIGHLIGHTS

- Cold Base Bonding
- Finish First
- Precision Pairing System

CUSTOMER BENEFIT

- · Special base for coarse-grained snow
- Forward-thinking technologies for maximum speed
- Developed with World Cup pros

CARBONLITE SKATE





Lengths Sidecut

SKI

₹ 171 - 191 / 176 - 191cm

Weight/Length 980g/186cm Base WC Plus / Cold



BINDING S50015 XCELERATOR SKATE 2.0 NIS

BLACK

60 ShA Fixation manual

CARBONLITE SKATE H-PLUS

Medium: NIS N11815 NIS N11915 Stiff: Xtra Stiff: NIS N11015

CARBONLITE SKATE COLD

Medium: NIS N10815 Stiff: NIS N10915


TECHNOLOGY HIGHLIGHTS


- · Finish First
- Precision Pairing System
- Prewaxed

CUSTOMER BENEFIT


- World Cup level performance
- Best gliding properties
- Extremely light


RCS SKATE

























































































Base

SKI 172 - 192 / 177 - 192cm Lengths Sidecut 41-44-44 Weight/Length 1.090g/187cm



THIS BINDING S50015

BI ACK

Flex

Fixation

XCELERATOR SKATE 2.0 NIS 60 ShA

manual



Medium: NIS N17815 Stiff: NIS N17915


RCS SKATE COLD Medium: NIS N16815

NIS N16915

- TECHNOLOGY HIGHLIGHTS
- Precision Pairing System Finish First

Hole Ski Tip

- CUSTOMER BENEFIT
- Winners' ski with World Cup experience





WC Plus / Cold



SKI

Lengths

Sidecut

Base

SKI

172 - 192cm Lengths Sidecut 41 - 44 - 44

Weight/Length 1.190g/187cm/

1.270g/187cm



BLACK/WHITE

Flex

Fixation

TIIS **BINDING** S55115

PERFORMANCE SKATE NIS

60 ShA

manual

SCS SKATE

NIS N24115

RCR SKATE Medium: NIS N21815

NIS N21915

- TECHNOLOGY HIGHLIGHTS
- Precision Pairing System
- Finish First · DTG World Cup Universal

Reliable companion for ski marathons

· High-quality alternatives to the World Cup models

· For all snow conditions

FISCHER >

CUSTOMER BENEFIT

Base WC Plus / Pro CRS SKATE /



41-44-44 1.320g/187cm/ Weight/Length 1.360g/187cm WC Pro

167-192 / 172-192cm



BINDING \$55115 / \$55015 PERFORMANCE SKATE NIS BLACK/WHITE/WHITE/YELLOW 60 ShA Flex Fixation manual

CRS SKATE NIS N25115

SC SKATE

NIS N27615

- Power LayerAir Core / Air Tec Basalite
- For recreational skiers with high requirements
- · For all snow conditions Lighter than the predecessors



FISCHER 🕽



Speed Grinding



FIT THROUGH FUN WHEN EXERCISING.

Enjoy the outdoor experience and do something for your physical fitness. More and more skiers are discovering Nordic Cruising for themselves. And Fischer makes it easy to join in with Vario Crown for even more efficient power transfer and optimised gliding properties in all snow conditions. The broad design of the ski gives you a firm stance and easy handling. Nordic Cruising has never been so much fun!

ORBITER

SKI NIS N30616

Lengths M (174), L (184), XL (189)

43-48-43 Sidecut

1.230g/M (174cm) WC Pro Weight/Length Base

S60116 BINDING

TOURING CLASSIC NIS BLACK

Flex 40 ShA Fixation

TECHNOLOGY HIGHLIGHTS

- Vario CrownWide Body TechnologyAir Core Basalite

- Light weight
- Efficient power transfer
- · For fitness enthusiasts

CRUISER



SKI

NIS N31116

Lengths Sidecut M (174), L (184), XL (189) 45-50-45

Weight/Length 1.310g/M (174cm) Base

Protec



BINDING

S60016 TOURING CLASSIC NIS WHITE

Flex 40 ShA

Fixation automatic

TECHNOLOGY HIGHLIGHTS

- Vario Crown
- Wide Body Technology
- Air Channel Basalite

CUSTOMER BENEFIT

- Universal use
- Efficient power transfer
- · Optimised gliding properties.

APOLLO



SKI

NIS N32116

Lengths Sidecut

M (174), L (184), XL (189)

45-50-45

Weight/Length 1.310g/M (174cm)

Sintec

BINDING S60016

TOURING CLASSIC NIS WHITE

Fixation


40 ShA automatic

TECHNOLOGY HIGHLIGHTS

- Vario Crown
- · Wide Body Technology
- Ultra Tuning

CUSTOMER BENEFIT

- Pleasantly light
- · Stable when gliding and downhill
- · Reliable companion for enjoyable treks



The newest generation in Crown technology: this cutting pattern which was developed in elaborate tests ensures previously unattained efficiency in motion. In what is perfect interaction with the successful and proven Single and Double Crown units for a direct, powerful kick action, the newly developed Gliding Crown sections with their rounded profile guarantee maximum ease when gliding. The optimum tuning of the climbing and gliding system elements is the secret behind the versatility in use in all snow conditions. Icing up and waxing are a thing of the past for the new Vario Crown.

With this special widening in the climbing system zone Fischer gains significant advantages for Nordic Cruisers: more surface area ensures easier climbing and perfect stability. And this stability enables even Nordic Cruisers without technical skills to concentrate fully on enjoying the winter experience.



AT HOME IN WINTER'S GYM.

Snow as far as the eye can see, bracing fresh air and enjoying outdoor exercise. In other words: staying in good shape. Fitness-oriented female skiers are highly enthusiastic about the My Style line, known for ingenious technologies and extremely fashionable designs. With its easy power transfer and homogeneous gliding properties, the Vario Crown, for example, gives you an even better feeling through its dynamic behaviour. Because fitness is there to be enjoyed.

INSPIRE MY STYLE

SKI NIS N36116

Lengths XS (164), S (169), M (174) Sidecut 43-48-43

1.210g/S (169cm) WC Pro Weight/Length

Base

S50912 **YIIS** BINDING TOURING CLASSIC NIS MY STYLE WHITE

Flex 40 ShA Fixation

TECHNOLOGY HIGHLIGHTS

- Vario CrownWide Body TechnologyAir Core Basalite

- For female fitness enthusiasts
- · Efficient power transfer
- Light weight

MYSTIQUE MY STYLE



SKI

NIS N37116

Lengths Sidecut XS (164), S (169), M (174)

Weight/Length

45-50-45 1.250g/S (169cm)

Protec



BINDING S50912

TOURING CLASSIC NIS MY STYLE WHITE

Flex 40 ShA Fixation automatic

TECHNOLOGY HIGHLIGHTS

- Vario Crown
- Wide Body Technology
- Air Channel Basalite

CUSTOMER BENEFIT

- Universal use
- Efficient power transfer
- · Optimised gliding properties.

ELEGANCE MY STYLE



SKI

NIS N38116

Lengths

XS (164), S (169), M (174)

Sidecut

45-50-45 1.310g/S (169cm)

Weight/Length 1.3

Sintec

TIIS

BINDING S50912

TOURING CLASSIC NIS MY STYLE WHITE

Flex Fixation


40 ShA automatic

TECHNOLOGY HIGHLIGHTS

- Vario Crown
- Wide Body Technology
- Ultra Tuning

CUSTOMER BENEFIT

- Pleasantly light
- Stable when gliding and downhill
- Reliable companion for enjoyable treks



VARIO CROWN

The newest generation in Crown technology: this cutting pattern which was developed in elaborate tests ensures previously unattained efficiency in motion. In what is perfect interaction with the successful and proven Single and Double Crown units for a direct, powerful kick action, the newly developed Gliding Crown sections with their rounded profile guarantee maximum ease when gliding. The optimum tuning of the climbing and gliding system elements is the secret behind the versatility in use in all snow conditions. Icing up and waxing are a thing of the past for the new Vario Crown.

WIDE BODY TECHNOLOGY

With this special widening in the climbing system zone Fischer gains significant advantages for Nordic Cruisers: more surface area ensures easier climbing and perfect stability. And this stability enables even Nordic Cruisers without technical skills to concentrate fully on enjoying the winter experience.



YOUR OWN WAY IS THE GOAL.

A sport with more and more followers: step outside your door and enjoy the winter experience without a trail - and you only need 8 to 10cm or more snow. After all, winter is too short and the passion for exercise is too big to wait longer! With specially developed equipment and far-reaching skiing performance, fitness enthusiasts will also get the full benefit of the great outdoors in winter, too.

SPIDER 62

N50515 / NIS N50615 SKI 169, 179, 189cm 62-52-60 Lengths Sidecut Weight/Length 1.790g/179cm Base Sintec

BINDING S60116 TOURING CLASSIC NIS BLACK 40 ShA Flex Fixation automatic

TECHNOLOGY HIGHLIGHTS

- Offtrack CrownNordic Rocker Camber
- Air Tec Steel Edge

- Top selling steel edge ski
- Very light and stable
- Outstanding off-track climbing performance





Lengths Sidecut

Base

NIS N50015 169, 179, 189cm 56-48-54 Weight/Length 1.690g/179cm

Sintec



BINDING S60116

TOURING CLASSIC NIS BLACK

Flex 40 ShA Fixation automatic

TECHNOLOGY HIGHLIGHTS

- Offtrack Crown
- · Speed Grinding
- Air Tec Steel Edge

CUSTOMER BENEFIT

- All-round steel edge model
- · Also suitable for track use at times
- Outstanding off-track climbing performance

OUTBACK 68



SKI

Base

N51015 Lengths Sidecut

169, 179, 189cm 68-59-64 Weight/Length 1.990g/179cm

Sintec

40 ShA Flex Fixation automatic

BINDING L60414 BASIC AUTO BLACK/WHITE

TECHNOLOGY HIGHLIGHTS

- Offtrack Crown
- · Nordic Rocker Camber
- · Air Tec Steel Edge

CUSTOMER BENEFIT

- Stable steel edge model
- Easy turning with little effort
- Outstanding off-track climbing performance

TRAVERSE 78 CROWN/SKIN



SKI

N51515 169, 179, 189cm Lengths 78-61-69 Sidecut

Weight/Length 2.090g/179cm Base

Sintec

S65016 BCX MAGNUM BLACK/WHITE 40 ShA

Fixation manual

BINDING

EASY SKIN

Ø K50014: 650 x 35mm

Ø K50114: 650 x 50mm

O K50215: 650 x 65mm

- Offtrack Crown & Easy Skin Nordic Rocker Camber
- · Air Tec Steel Edge

CUSTOMER BENEFIT

- Exclusive climbing system combination
- Robust steel edge ski
- Outstanding off-track climbing performance

EXCURSION 88 CROWN/SKIN



SKI

N51715 Lengths

Sidecut

169, 179, 189cm 88-68-78 Weight/Length 2.280g/179cm

Base

Sintec

BINDING S65016

BCX MAGNUM BLACK/WHITE

40 ShA Flex

Fixation manual

EASY SKIN

Ø K50014: 650 x 35mm Ø K50114: 650 x 50mm

Ø K50215: 650 x 65mm

Air Tec Steel Edge

CUSTOMER BENEFIT

Offtrack Crown & Easy Skin Nordic Rocker Camber

- · Exclusive climbing system combination · Extra-wide steel edge ski
- Outstanding off-track climbing performance



Exclusive climbing system combination for steel edge skis. If Offtrack Crown no longer grips in steep terrain, it's time for Fischer Easy Skin. Just like switching on all-wheel drive mode, Easy Skin can be added/removed easily and quickly as required.



HOW METRES OF CLIMBING CAN BE DOUBLE THE FUN.

Deep in the backcountry, where every climb is followed by an unforeseeable downhill ride, you will find the natural habitat of Easy Skin skiers. The easy attachment of the climbing skin with a combination of adhesion and clickin-place takes the scope of use of this lightweight ski to the limit. With the skin attached you have sufficient grip at your disposal even for steeper climbs. Before the downhill just one hand movement is required to remove the skin and the fun can begin! The extremely break-resistant Backcountry models prove their merits again and again as reliable companions from extended ski treks right up to professional polar expeditions.

E99 EASY SKIN XTRALITE

 SKI
 N53016

 Lengths
 180-210cm

 Sidecut
 66-54-61

 Weight/Length
 1.950g/200cm

 Base
 Sintec

BINDING S65016
BCX MAGNUM BLACK/WHITE
Flex 40 ShA
Fixation manual

EASY SKIN

⋈ K50014: 650 x 35mm⋈ K50114: 650 x 50mm○ K50215: 650 x 65mm

TECHNOLOGY HIGHLIGHTS

- Air Tec Steel Edge
- Nordic Rocker Camber
- Easy Skin

- Extremely robust and reliable
- First choice for polar expeditions
- · Quick and easy climbing skin attachment



COUNTRY CROWN



SKI Lengths Sidecut

N52016 180-210cm 60-52-57 Weight/Length 1.660g/200cm

BINDING S65116 BCX AUTO BLACK/WHITE Flex 40 ShA

automatic

Fixation

TECHNOLOGY HIGHLIGHTS

- Vario CrownPower Layer
- Ultra Tuning

CUSTOMER BENEFIT

- All-rounder for the backcountry
- · Outstanding climbing performance
- Stable gliding

E89 EASY SKIN

Sintec



TECHNOLOGY HIGHLIGHTS

- · Easy Skin
- Nordic Rocker Camber
- · Air Tec Steel Edge

CUSTOMER BENEFIT

- Weight-reducing design
- Perfect gliding in the backcountry
- Easy skin attachment

SKI Lengths Sidecut Base

N52516 170, 180 - 210cm 59-49-55 Weight/Length 1.850g/200cm Sintec

BINDING S65116 BCX AUTO BLACK/WHITE Flex 40 ShA

Fixation automatic

EASY SKIN

O K50215: 650 x 65mm

E89 CROWN



SKI

N52616 170, 180 - 205cm Lengths 59-49-55 Sidecut

Weight/Length 1.850g/200cm Base Sintec

BINDING S65116 BCX AUTO BLACK/WHITE

40 ShA Fixation automatic

TECHNOLOGY HIGHLIGHTS

- Offtrack CrownNordic Rocker Camber
- Air Tec Steel Edge
- CUSTOMER BENEFIT

- Weight-reducing design
- Perfect gliding in the backcountry
- Better kick action away from groomed tracks

E99 CROWN XTRALITE



SKI

N53116 Lengths 180 - 210cm 66-54-61 Sidecut

Weight/Length 1.950g/200cm Base Sintec

BINDING S65016

BCX MAGNUM BLACK/WHITE

Flex 40 ShA Fixation manual

TECHNOLOGY HIGHLIGHTS

- Offtrack Crown
- Nordic Rocker Camber
- · Air Tec Steel Edge

CUSTOMER BENEFIT

- Extremely robust and reliable · First choice for polar expeditions
- Outstanding off-track climbing performance

E109 EASY SKIN



SKI

N56016 170, 180, 190, 200, 205cm 82-60-70

Weight/Length 2.050g/200cm Base Sintec

S65016

BCX MAGNUM BLACK/WHITE Flex 40 ShA Fixation manual

EASY SKIN

Ø K50014: 650 x 35mm Ø K50114: 650 x 50mm

TECHNOLOGY HIGHLIGHTS

- Easy Skin
 - · Nordic Rocker Camber
 - · Air Tec Steel Edge

- · Extra-wide and ideal off-track
- · Quick and easy climbing skin attachment
- Stable downhill performance





CARBONLITE ZERO+ JR.



₹

SKI NIS N59715 162, 172, 182cm Lengths Sidecut 41-44-44 Weight/Length 890g/172cm Base WC Plus

TIIS

BINDING S70115

XCELERATOR CLASSIC JR NIS BLACK

30 ShA Flex Fixation manual

TECHNOLOGY HIGHLIGHTS

- Finish First
- Prewaxed
- DTG World Cup Plus

CUSTOMER BENEFIT

- Ideal second pair for temperatures around 0°C and warmer
- For young racers
- Proven World Cup technologies

RCS SKATE / RCS CLASSIC



SKI Lengths NIS N60015 / NIS N61015 142-177 / 152-187cm

Sidecut 41-44-44

Weight/Length 970g/157cm/970g/167cm

WC Pro

MIS

BINDING \$70015 / \$70115

XCELERATOR SKATE / CLASSIC JR NIS BLACK

Flex 50 ShA / 30 ShA

Fixation manual

TECHNOLOGY HIGHLIGHTS

- · Speed Tip & Tail
- Power Laver
- Air Core Basalite Pro

CUSTOMER BENEFIT

- Race ski for kids
- · As fast as an arrow
- Proven World Cup technologies

RCR UNIVERSAL / RCR CROWN JR.



SKI Lengths NIS N61515 / NIS N61915 127, 137, 147-182 /

137, 147, 157, 167, 177cm Sidecut 41-44-44

Weight/Length 860g/147cm WC Pro Base



BINDING S70115

XCELERATOR CLASSIC JR NIS BLACK

30 ShA Flex Fixation manual

TECHNOLOGY HIGHLIGHTS

- Rental Tail Protector
- · Air Channel Basalite
- · Speed Grinding

CUSTOMER BENEFIT

- · Perfectly tuned equipment
- Very light
- Robust construction

RCR SKATE / SCS SKATE



SKI Lengths NIS N62015 / NIS N62415

122, 132, 142, 152, 162, 172 / 122, 132, 142, 152, 162cm

Weight/Length 830g/142cm/890g/132cm

WC Pro / Sintec



BINDING S70015 / S70214 XCELERATOR SKATE JR NIS BLACK / XC JUNIOR NIS BLACK/YELLOW 50 ShA / 40 ShA

Fixation manual / automatic / manual

TECHNOLOGY HIGHLIGHTS

- Sidecut World Cup Skate
- Air Channel Basalite / Air Channel
- Speed Grinding / Ultra Tuning

CUSTOMER BENEFIT

- Ideal entry-level skating
- Reliable companion
- Robust construction

SPRINT CROWN /



SKI

NIS N63015 / NIS N63515

Lengths Sidecut

90 - 170cm 51 - 47 - 50 Weight/Length 980g/150cm Base Sintec



BINDING S70214

XC JUNIOR NIS BLACK/YELLOW

Flex 40 ShA

automatic/manual Fixation

TECHNOLOGY HIGHLIGHTS

- · Crown Tec / Wax
- Air Channel
- Ultra Tuning

- · Perfect for the first steps in the snow
- Ideal for learning classic style
- Guarantees rapid progress

THE CHAMPION TAKES IT ALL





XCELERATOR SSR

This boot needs no modesty. With the new Speedmax Classic, highly ambitious fans of the classic skiing style now also have a complete highend package at Speedmax level. The boot has of course also been developed in close collaboration with the Fischer athletes from the World Cup. The result: extremely light and with unparalleled efficiency thanks to the three-dimensional carbon construction with fibres that run diagonally in the sole. The maximum side stability this achieves with a balanced heel-to-toe rolling motion at the same time results in breathtaking power transfer. It is for good reason that people say: The champion takes



The heart of the new Speedmax Classic is a threedimensional carbon shell. The outer sole, midsole and side stabilisation elements are manufactured from the same sheet of carbon. The perfectly tuned integration of all elements in one chassis offers decisive benefits: previously unattained light weight with optimum stability and power transfer. And everything with a perfect heel-to-toe rolling motion.

XCELERATOR SSR

Two parts for one big performance every time: the split construction enables a 50% saving in weight compared to the single-part Xcelerator sole. Developed for the world's top skiers, the Xcelerator SSR sole forms the perfect entity with the Integral Carbon Chassis.



SPEEDMAX CLASSIC

Half size insoles included

Xcelerator SSR Sole

TECHNOLOGY HIGHLIGHTS

- Integral Carbon Chassis Speed Lock System

CUSTOMER BENEFIT

- Developed with World Cup pros
- Maximum side stability and harmonious rolling action



SPEEDMAX CLASSIC WS

Article no. S01616

Half size insoles included

Xcelerator SSR Sole

R♠**CE**CODE

TECHNOLOGY HIGHLIGHTS

- Integral Carbon Chassis
- · Ladies Race Fit Concept

- Developed with World Cup pros
- Maximum side stability and



RACE SKATING / COMBI



SPEEDMAX SKIATHLON

Article no. S05515

Sizes 41 - 46

Half size insoles included

Xcelerator SSR Sole

Bootflex

R^**CE**COD**E**

TECHNOLOGY HIGHLIGHTS

- World Cup Carbon Cuff 2.0
- Integral Carbon Chassis
- Speed Lock System

CUSTOMER BENEFIT

- · Ultralight high-end carbon boot
- Developed with World Cup pros
- For skating and classic

RC7 SKATE

Article no. S15215

Sizes 36 - 49

Xcelerator Sole

Bootflex stiff

TECHNOLOGY HIGHLIGHTS

- Hinged Polymer Cuff with Canting
- Polymer Crosslink
- Triple-F Membrane

- Price/performance winner in the top class
- · Perfect stability and power transfer
- · Comfortable in-boot climate

















Article no. S00113

Sizes 36 - 49 Half sizes Sole Xcelerator

Bootflex stiff **₹**

TECHNOLOGY HIGHLIGHTS

- · World Cup Carbon Cuff with Canting
- World Cup Carbon Crosslink
- Triple-F Membrane

CUSTOMER BENEFIT

- RACE CODE lightweight for racesWith World Cup technologies
- · High-performance, comfortable in-boot climate

RC5 SKATE / COMBI

Article no. S15415 / S18515 36 - 48 / 36 - 50 R3 PU 2color Sizes

Bootflex stiff / medium

Sole

- **TECHNOLOGY HIGHLIGHTS** Hinged Polymer Cuff with CantingTriple-F Membrane
- Comfort Guard

- **CUSTOMER BENEFIT** Comfort model with weight-reduced
- construction
- For sporty, demanding cross country skiers · Comfortable in-boot climate

RC3 SKATE / COMBI

Fischer

Climate Comfort

Article no. S15615 / S18715 Sizes 36 - 48 Sole T4 2color Bootflex stiff / medium

- **TECHNOLOGY HIGHLIGHTS**
- Hinged Polymer Cuff
- Injected Exterior Heel Cap

Speed Lock System

- **CUSTOMER BENEFIT**
- · Ideal for newcomers to skating
- · High stability and safety · Easy and comfortable entry





RACE CLASSIC

RCS CARBONLITE CLASSIC

Article no. S10514 Sizes 36 - 49 Half sizes Xcelerator Sole

Bootflex soft



TECHNOLOGY HIGHLIGHTS

- Triple-F Membrane
- Internal Molded Heel Cap
- Speed Lock System

CUSTOMER BENEFIT

- · Featherweight racing boot with original World Cup technologies
- · Optimum features for outstanding achievements
- High-performance, comfortable in-boot climate

RC7 CLASSIC

Article no. S16814 Sizes 36 - 49

Sole Xcelerator Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Thermo FitTriple-F Membrane
- Speed Lock System

CUSTOMER BENEFIT

- · High-quality alternatives to the World Cup models
- · Perfect fit for direct power transfer
- · Optimum in-boot climate







RC5 CLASSIC

Article no. S17015 Sizes 36 - 48 R3 PU 2color Sole Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Heel Fit Strap
- Triple-F Membrane
- Speed Lock System

CUSTOMER BENEFIT

- · For lovers of the classic style who try out races now and again
- Above-average power transfer
- · Optimum in-boot climate

RC3 CLASSIC

Article no. S17215

Sizes 36 - 48 Sole T4 2color Bootflex soft

TECHNOLOGY HIGHLIGHTS

- · Thermo Fit
- Internal Molded Heel Cap · Speed Lock System

- · For recreational skiers with high requirements
- · Reliability and easy handling
- Very light







WOMEN RACE



RCS CARBONLITE SKATE WS

Article no. S10613 Sizes 36 - 43 Half sizes Sole Xcelerator

Bootflex stiff



TECHNOLOGY HIGHLIGHTS

- World Cup Carbon Cuff with Canting
- World Cup Carbon Crosslink
- Triple-F Membrane

CUSTOMER BENEFIT

- RACE CODE lightweight designed for the female anatomy
- · With World Cup technologies
- High-performance, comfortable in-boot climate



RCS CARBONLITE CLASSIC WS

Article no. S12014 Sizes 36 - 43 Half sizes

Sole Xcelerator Bootflex soft



TECHNOLOGY HIGHLIGHTS

SPEEDMAX SKATE WS

Xcelerator SSR

- Triple-F MembraneInternal Molded Heel Cap
- Speed Lock System

- · Featherweight women's racing boot with original World Cup technologies
- · Optimum features for outstanding achievements
- High-performance, comfortable in-boot climate



WOMEN RACE / NORDIC CRUISING / SPORT

RC7 SKATE MY STYLE

Article no. S16015 Sizes 36 - 43 Sole Xcelerator Bootflex stiff

TECHNOLOGY HIGHLIGHTS

- Hinged Polymer Cuff with CantingPolymer Crosslink
- Triple-F Membrane

CUSTOMER BENEFIT

- Price/performance winner in the top class for women
- Perfect stability and power transfer
- · Comfortable in-boot climate



RC CLASSIC MY STYLE

Article no. S18115 Sizes 36 - 43 Sole T4 2color Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Thermo Fit
- Internal Molded Heel Cap
- Speed Lock System

CUSTOMER BENEFIT

- · Sporty all-rounder with a high degree of comfort
- Reliability and easy handling
- · Very light ladies' model

RC SKATE MY STYLE

Article no. S16415 Sizes 36 - 43 T4 2color Sole Bootflex stiff

TECHNOLOGY HIGHLIGHTS

- Hinged Polymer Cuff
- · Injected Exterior Heel Cap
- Speed Lock System

CUSTOMER BENEFIT

- · Comfort model with weight-reduced construction
- · For sporty, ambitious ladies
- · Comfortable in-boot climate



XC CONTROL MY STYLE

Article no. S28216 Sizes 36 - 43 Sole T4 2color Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Ankle Support Cuff ASC3
- Triple-F Membrane
- · Thermo Fit

- · Comfortable and sporty
- · Breathable ladies' model
- · Outstanding stability





XC COMFORT PRO / COMFORT MY STYLE

Article no. S28416 / S29914

35 - 43 Sizes T4 2color Sole Bootflex soft

Fischer



TECHNOLOGY HIGHLIGHTS

- Injected Exterior Heel Cap
- Easy Entry Loops
- Comfort Guard

CUSTOMER BENEFIT

- Comfortable and sportyBreathable ladies' model
- Safe grip



XC PRO MY STYLE

Article no. S29015

Sizes 34 - 43 T3 1color Sole

Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Internal Molded Heel Cap
- Lace Cover
- Cleansport NXT

CUSTOMER BENEFIT

- Comfortable entry-level boot
 Fit designed perfectly for the female anatomy

comfort

Dry and warm

XC TOURING MY STYLE

Article no. S28715

Sizes 35 - 43 T3 1color Sole Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Internal Molded Heel Cap
- · Comfort Guard Cleansport NXT

CUSTOMER BENEFIT

- Fit designed perfectly for the female anatomyComfortable thanks to practical entry loop
- Dry and warm



XC SPORT MY STYLE

Article no. S23413

Sizes 34 - 43 Sole T3 1color

Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Internal Molded Heel Cap
- Easy Entry Loops
- Cleansport NXT

- Robust basic version
- · Comfortable ladies' model
- Neutralises odours





NORDIC CRUISING / SPORT



XC COMFORT PRO SILVER

Article no. S20716 Sizes 36 - 49 T4 2color Sole Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Triple-F MembraneSpeed Lock System
- · Comfort Guard

CUSTOMER BENEFIT

- · Comfortable and sporty
- Breathable
- · Ankle stabilisation

XC COMFORT PRO BLACK YELLOW

Article no. S20916 Sizes 36 - 49 T4 2color Sole Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Triple-F Membrane
- Speed Lock System
- · Comfort Guard

- · Comfortable and sporty
- Breathable
- Ankle stabilisation







ROTTEFELLA TECHNOLOGY

XC COMFORT SILVER

Article no. S23014 Sizes 36 - 49 Sole T4 2color Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Injected Exterior Heel Cap
- Comfort Guard
- · Easy Entry Loops

CUSTOMER BENEFIT

- Fulfils highest requirements
- Comfortable thanks to practical entry loop
- Dry and warm

XC TOURING T3 / T4 BLACK

Article no. S21215 / S21415

Sizes 36 - 49 Sole T3 1color / T4 2color

Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Internal Molded Heel CapComfort Guard
- Cleansport NXT

CUSTOMER BENEFIT

- Perfect fit
- Comfortable thanks to practical entry loop
- Dry and warm



XC PRO SILVER / YELLOW

Article no. S21716 / S21816 Sizes 36 - 48 Sole T3 1 color

Bootflex soft

TECHNOLOGY HIGHLIGHTS Internal Molded Heel Cap

- Lace Cover
- Cleansport NXT

CUSTOMER BENEFIT

- Entry-level boot
- · Perfect fit and comfortable
- · Neutralises odours



XC SPORT BLACK

Article no. S23513

Sizes 36 - 48

Sole T3 1color

Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Internal Molded Heel Cap
- Easy Entry Loops
- Cleansport NXT

- Robust basic version
- Comfortable
- Neutralises odours





OFFTRACK CRUISING

OFFTRACK 5

Article no. S35015 36 - 49 Sole T3 1color Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Ankle Support Cuff ASC3
- Integrated Gaiter
- Wool-like Lining

CUSTOMER BENEFIT

- · Ideal for short to medium tours
- Warm and dry feet
- High stability and perfect freedom of movement



OFFTRACK 3

Article no. S35415 Sizes 36 - 49 Sole T3 1color Bootflex soft

TECHNOLOGY HIGHLIGHTS

- · Internal Molded Heel Cap
- Integrated Gaiter
- Wool-like Lining

CUSTOMER BENEFIT

- · Ideal for short to medium tours
- · Warm and dry feet
- · Pleasant to wear



OFFTRACK 5 BC / MY STYLE

Article no. S35114 / S36014 Sizes 37 - 49 / 37 - 43 Sole BC 2color Bootflex medium

TECHNOLOGY HIGHLIGHTS

- Ankle Support Cuff ASC3
- Integrated Gaiter
- · Wool-like Lining

CUSTOMER BENEFIT

- Special backcountry sole
- · Ideal away from the tracks
- · High stability and perfect freedom of movement



Article no. S35514 / S36214 Sizes 37 - 49 / 37 - 43 Sole BC 2color

Bootflex medium

TECHNOLOGY HIGHLIGHTS

- Internal Molded Heel Cap
- Integrated Gaiter
- Wool-like Lining

- · Special backcountry sole
- · Ideal away from the tracks
- · Pleasant to wear







ROTTEFELLA TECHNOLOGY

BACKCOUNTRY / S-BOUND



BCX 675

Article no. S37716 Sizes 36 - 49

Bootflex stiff

Vibram ® 75mm Sole

TECHNOLOGY HIGHLIGHTS

- Triple-F MembraneLeather Upper
- Heel Fit Strap

CUSTOMER BENEFIT

- Reliable stability in all terrain Extremely safe ski guidance
- Warm and dry feet



BCX 5

Article no. S38516

36 - 49 Sizes Sole BC 2color

Bootflex medium

TECHNOLOGY HIGHLIGHTS

- Injected Exterior Heel Cap Triple-F Membrane
- Leather Upper

- · Ideal for short to medium tours
- Safe grip
- Warm and dry feet



JUNIOR

RCS

Article no. S40014 Sizes 33 - 43 Sole Xcelerator Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Hinged Polymer Cuff
- Triple-F Membrane
- Extended Fit System

CUSTOMER BENEFIT

- Genuine race feeling for kids
- Outstanding features with comfortable construction
- Optimum in-boot climate



JR COMBI

Article no. S40416 Sizes 32 - 42 Sole T4 2color / T4 Jr

Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Ankle Support Cuff ASC3
- Speed Lock System
- Triple-F Membrane

CUSTOMER BENEFIT

- Supports rolling action in classicStable for skating
- Warm and dry



RCJ CLASSIC

Article no. S40214 Sizes 36 - 43 Sole R3 PU 2color

Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Easy Entry Loops
- Triple-F Membrane
- Speed Lock System

CUSTOMER BENEFIT

- Top model for young classic talents
 Best grip and extremely comfortable to wear
 Optimum in-boot climate conditions



XJ SPRINT

Article no. S05311 25 - 40 T4 / T4 Jr Sizes

Sole Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Easy Entry LoopsInternal Molded Heel Cap
- · Comfort Guard

- Top seller
- Genuine all-rounder in the snow
- · Warm and dry thanks to extra insulation





SNOWSTAR BLACK YELLOW / PINK

Article no. S41016 / S41116

Sizes 25 - 33 Sole T3 1 color Jr Bootflex soft

TECHNOLOGY HIGHLIGHTS

- Internal Molded Heel Cap
- · Comfort Guard
- Cleansport NXT

CUSTOMER BENEFIT


- Also ideal for playing in the snow
- Easy to put on
- Warm and dry thanks to extra insulation





FISCHER CLIMATE COMFORT

Feet play a key role in power transfer in the dynamic motion sequences in cross country skiing. And this means that it is all the more important that they have the best possible conditions for this, besides a perfect fit and performance: keeping dry, optimum warmth and a comfortable in-boot climate. And this is precisely what the Fischer development department gives you with its innovative technologies.



FISCHER TRIPLE-F MEMBRANE: FEET CAN TAKE A BREATHER

Sport and exercise generate body heat, and this includes your feet. Feet are more likely to become damp this way than through external moisture. This is why Fischer concentrates on efficient moisture transport from the inside to the outside: the boot liner is made of technical mesh material and permeable to air and moisture so that any moisture can be absorbed by the fleece lying on it and wicked away. It is transported to the outside via the breathable outer skin of the boot. The Triple-F membrane keeps out any unwanted effects of the weather. Feet stay warm and dry as a result.



CLEANSPORT NXT: LASTING FRESHNESS INSIDE THE BOOTS

Bacteria forms inside sweat which can lead to unpleasant odours and have a negative impact on even the best of boots. This is why Fischer boot insoles are treated with innovative Cleansport NXT: a natural odor control, leveraging beneficial and microbes which have been bound to the surface of the fabric within the boot liner. These microbes produce enzymes which break down the organic materials that cause odors in your boots, leaving the climate inside your boot fresher and more pleasant.

THE CHAMPION TAKES IT ALL

TECHNOLOGIES REDUCED TO THE MAX.

The Speedmax pole makes the RACE CODE package complete at World Cup level. With components reduced to the maximum, the new top model has everything the racer's heart desires: lighter than light, optimised stiffness and perfect swingweight.

AIR CARBON UHM SHAFT


Even lighter and more stable: the new shaft of the top RACE CODE product. The processing of special, even stronger UHM carbon fibres in the proven 16:9 geometry are responsible for the maximum stiffness and minimised weight.

SPEED STRAP

A firm grip on everything: the newly developed strap does without any unnecessary details and focuses on what is important. With minimised weight and sufficient comfort it offers direct power transfer, perfect pole control and an optimised fit.

RACELITE AERO SMALL BASKET

For more dynamic action: extremely light basket with aerodynamic profile for even better power transfer and impressive lightness when using the pole. The right basket on the pole - so small and so significant.





RACE

SPEEDMAX

Article no. Z40015

Lengths 135 - 175 (2,5cm) / K155, K175

















- Air Carbon UHM 5.4
- Cork Lite Grip
- Speed Strap

CUSTOMER BENEFIT

- · Lighter than light and optimised stiffness
- Perfect swing weightDeveloped with World Cup pros

RCS QF

Article no. Z40115

Lengths 135 - 175 (2,5cm) / K155, K175













TECHNOLOGY HIGHLIGHTS

- Air Carbon HM 4.8
- Quick Fit Strap
- Multi Tip Aero S Basket

CUSTOMER BENEFIT

- Proven World Cup model for winners
- · Ultralight carbon shaft
- Quick and safe pole basket change

RC10 QF

Article no. Z40215

Lengths 135-175 (2,5cm) / K155, K175













TECHNOLOGY HIGHLIGHTS

- Air Carbon HM 4.6
- Quick Fit Strap
- Multi Tip Aero S Basket

CUSTOMER BENEFIT

- · High-tech from the World Cup for skiers who are hungry for success
- · Stable carbon pole
- · Easy entry and exit

RC9 QF

Article no. Z40315

Lengths 135 - 175 (2,5cm) / K155, K175













TECHNOLOGY HIGHLIGHTS

- Air Carbon HM 4.5
- Quick Fit Strap
- Multi Tip Aero S Basket

CUSTOMER BENEFIT

- High-grade professional race pole
- · Quick and safe pole basket change
- Easy entry and exit

RC8

Article no. Z41015 Lengths 130 - 170 (5cm)









TECHNOLOGY HIGHLIGHTS

- Air Carbon HM 4.2
- Race Cork Grip Quick Click Strap

- · Carbon pole with racing genes
- · Quick, easy strap attachment to and release from the grip
- Very light





RACE

RC₆

Article no. Z41115 Lengths 120-170 (5cm)









TECHNOLOGY HIGHLIGHTS

- Air Carbon HM 4.2
- Race Cork Grip Quick Click Strap

CUSTOMER BENEFIT

- · Carbon pole with a race feeling
- · Optimum power transfer and resistance to breaking
- · Quick, easy strap attachment to and release from the grip

RC₅

Article no. Z41215 Lengths 120-170 (5cm)











TECHNOLOGY HIGHLIGHTS

- Air Carbon HM 4.0
- Race Cork Grip
- Quick Click Strap

CUSTOMER BENEFIT

- · Carbon pole that makes it easy to start out in racing
- · Dynamic swing weight
- · Quick, easy strap attachment to and release from the grip

RC3 CARBON

Article no. Z41515 Lengths 120-170 (5cm)











TECHNOLOGY HIGHLIGHTS

- Air Carbon HM 3.0
- · Cork Grip
- Race Strap

CUSTOMER BENEFIT

- High-grade carbon pole
- Very light
- Breathable strap material

RC3

Article no. Z41615 Lengths 120-170 (5 cm)











TECHNOLOGY HIGHLIGHTS

- Alu 7075Cork Grip
- Race Strap
- Very light
 - · Breathable strap material

High-grade aluminium pole

CUSTOMER BENEFIT



Article no. Z41715 Lengths 120 - 170 (5cm)











TECHNOLOGY HIGHLIGHTS

- Alu 6013
- Race Strap
- Racelite Aero Big Basket

- Sound basic model for every eventuality
- · High durability
- · Efficient power transfer











ROLLER

Article no. Z97214



MULTI TIP SYSTEM

TUNING IN YOUR HANDS

Different snow conditions call for different pole baskets. The softer the ground, the larger the basket should be to enable perfect kick action. Use with roller skis in summer, on the other hand, has different requirements.

In the past the solution was either to own several pairs of poles or the time-consuming removal and reaffixing of the baskets together with the respective tips. The new Multi Tip System, however, enables you to simply screw on the basket you require and thanks to a professional and ingenious locking mechanism it is securely locked in place and cannot turn. This procedure is so easy, you can even change baskets out on the trails if you need to!



NORDIC CRUISING / SPORT

XC SUPERLITE

Article no. Z44016 Lengths 120 - 165 (5cm)

TECHNOLOGY HIGHLIGHTS

- Alu 6013
- · Cork Grip
- Comfort Strap

CUSTOMER BENEFIT

- Sporty, lightweight aluminium pole
- Ergonomic grip and comfortable strap For ambitious hobby sports enthusiasts

XC CRUISER

Article no. Z43016 Lengths 120-165 (5cm)

TECHNOLOGY HIGHLIGHTS

- Alu 6013
- Comfort Strap
- Racelite Aero Big Basket

CUSTOMER BENEFIT

- Designed for Nordic Cruising
- Comfortable strap
- · High-grade aluminium construction

XC PERFORMANCE

Article no. Z44116 Lengths 120 - 165 (5 cm)

TECHNOLOGY HIGHLIGHTS

- Alu 6061
- TPR Grip
- Racelite Aero Big Basket

- Good pole guidance
- Sturdy aluminium pole
- For sporty leisure skiers

WOMEN NORDIC CRUISING / SPORT

CRUISER MY STYLE

Article no. Z43916 Lengths 120-150 (5cm)

TECHNOLOGY HIGHLIGHTS

- Alu 6013
- Cork Grip
- Comfort Strap

CUSTOMER BENEFIT

- Lightweight ladies' pole
- Cork grip for warm hands
- Comfortable strap

BACKCOUNTRY

OFFTRACK

Article no. Z45415 Lengths 120 - 165 (5cm)

TECHNOLOGY HIGHLIGHTS

- Alu 6013
- Cork Grip
- · Comfort Strap

CUSTOMER BENEFIT

- Perfect companion in tough terrain
- · Light aluminium pole
- · Basket suitable for deep snow

BCX VARIOLITE

Article no. Z45016 Lengths 95 - 160 (variable)

TECHNOLOGY HIGHLIGHTS

- Alu 7075
- Air Lock 2.0
- Multi Grip

CUSTOMER BENEFIT

- Flexible pole length for climb and descent
- Light aluminium pole
- Variable grip position

BCX MOUNTAIN

Article no. Z45116 Lengths 130 - 165 (5cm)

TECHNOLOGY HIGHLIGHTS

- Alu 7075
- Multi Grip
- BC Strap

CUSTOMER BENEFIT

- Comfortable strap
- · Basket suitable for deep snow
- Variable grip position

BC COUNTRY

Article no. Z45516 Lengths 130 - 165 (5cm)

TECHNOLOGY HIGHLIGHTS

- Alu 6013
- TPR Grip
- Offtrack Basket

- · Perfect for flat backcountry terrain
- Reliable companion
- Light aluminium construction



JUNIOR

RCS CARBONLITE JUNIOR

Article no. Z46115 Lengths 110-145 (5cm)



- Air Carbon HM 4.2
- Speed Strap
- Multi Tip Aero S Basket

CUSTOMER BENEFIT

- Racing pole designed for children
- Ultralight carbon shaft
- Quick and safe pole basket change

RCS JUNIOR VARIO Article no. Z46216 Lengths 95+20 / 105+20 / 115+20

TECHNOLOGY HIGHLIGHTS

- Alu 6013
- Air Lock 2.0
- Race Strap

CUSTOMER BENEFIT

- Pole length easy & safe to adjust
- Stable aluminium designErgonomic grip and comfortable strap

RCS JUNIOR Article no. Z46315 Lengths 100 - 135 (5cm) **CUSTOMER BENEFIT TECHNOLOGY HIGHLIGHTS** · Racing-oriented children's pole Alu 6013 Comfortable strap Cork Grip Stable aluminium design · Comfort Strap

SPRINT

Article no. Z46415 Lengths 70 - 130 (5cm)

TECHNOLOGY HIGHLIGHTS

- Alu 6013
- · TRP Junior Grip
- Loop 30 Strap

CUSTOMER BENEFIT

- · An all-rounder which is fun
- Clever features
- Sound manufacturing

JUNIOR FIBRE

Article no. Z46515 Lengths 70-120 (5cm)



TECHNOLOGY HIGHLIGHTS

- Fibre
- Mono Junior Grip
- Loop 10 Strap

- Designed optimally for children's hands
- · For a great start in the sport of cross-country skiing

FINISH FIRST

The finishing touch now comes from Finish First: the term that covers and unites all the individual technological steps in the course of the final treatment of the base.

DIAMOND TUNED GRINDING (DTG) WORLD CUP PLUS / COLD / UNIVERSAL



PLUS: Deeper and coarser Plus structure, ideal for warm and moist conditions. Produced using natural diamond. COLD: Fine and flat Cold structure, perfect for cold and dry conditions. Produced using a synthetic diamond. UNIVERSAL: Universal structure, ideal for changing conditions. Produced using a natural diamond.

SPEED GRINDING



Universal stone grinding for perfect gliding properties in all snow conditions.

ULTRA TUNING



Unrestricted gliding. Offset base structure makes the ski fast and suitable for all uses.

PREWAXED



Infrared preparation with fluoride-content hot wax. Best gliding properties, protection against dirt and oxidation. Powered by Swix.

SWINGWEIGHT

HOLE SKI TIP



Skating construction with HM carbon laminates to reduce ski tip mass. Requires less effort thanks to reduced pendulum action.

CARBON PRO TIP & TAIL



3D Classic ski tip and tail made of real carbon. Optimum swing behaviour through weight reduction. Can be felt in every Classic stride.

SPEED TIP & TAIL



Special designed ultralight laminates in ski tip and tail mean even less ski weight. The advantage: less inertia and optimised swing weight.

CONSTRUCTIONS

COLD BASE BONDING



The revolution in ski making: Speedmax technology to protect the homogeneous molecular structure of the base for perfect wax absorption. Guarantees maximum speed.

SKATING 115



Special camber and snow contact points further apart from each other mean increased stability and a more powerful kick action on hard snow.

SKATING 610



Skating race ski construction for maximum speed through pressure relief at the ski tip and tail. Perfect on compact to soft snow.

CLASSIC 902



Race ski construction with noticeable pressure relief at the ski tip and tail for a direct, quick and safe kick phase. Ideal for: universal to wet conditions, klister.

CLASSIC 812



Race ski construction with long, dynamic wax pocket pattern for minimum wax loss through friction. Ideal for: cold conditions and dry wax conditions.

EFFICIENT FORWARD



Thanks to the revolutionary composition of proven materials the elasticity of the body of the ski is extremely increased: this guarantees a forgiving kick action and a new, easy-going skiing experience.

CAMBER CLASSIC MY STYLE



Configured lower than its unisex counterpart to account for lighter body weights. Designed for the classic technique with less effort required.

PRECISION PAIRING SYSTEM



The next generation in ski pairing: fully automatic dynamic measurements of a multitude of pairing criteria ensures precise ski choice and optimised pairing.

SIDECUT WORLD CUP



Arrow-shaped sidecut for improved performance and dynamics especially for the 1:1 skating technique.

COMPUTER FLEX CONTROL



SKI TECHNOLOGY

Minimises differences in residual tension and camber pressure. Top climbing and kick performance.

FISCHER CARBON FIBRE



Multiaxial T300 1K carbon fibre for ski tip, ski tail and as laminate. Extremely tough and minimum weight.

NORDIC ROCKER CAMBER



Slightly opened ski tips for perfect gliding properties in unprepared terrain. Enables lighter turning with less effort.

WIDE BODY TECHNOLOGY



Widened section in the climbing system zone enhances climbing performance and provides optimum stability for classic style skiing.

RENTAL TAIL PROTECTOR



Special components for extremely robust ski tails ensure they fulfil the durability requirements of ski rental.

POWER LAYER



0.2mm thin, extremely lightweight, full-surface high-pressure laminate comprising natural fibres and resin for noticeable ski weight reduction.

POWER EDGE



Reinforced ski chassis ensures longer service life. Homogeneous pressure distribution ensures uniform wax wear.

STEEL EDGE



Narrow steel edge along the entire length of the ski. Guarantees constant edge contact on every surface.

CORES

AIR CORE HM CARBON



The latest from the World Cup: Proven Air Core material - the most successful ski core with over 80% air content for extremely light weight combined with highly molecular carbon fibres.

AIR CORE CARBONLITE



The lightest material from Fischer: bidirectional Air Core technology with multiaxial carbon fabric for under 500g per ski and top performance.

AIR CORE CARBON



The most successful ski core with over 80% air content for extremely light weight. Optimum performance thanks to torsionfree and break-resistant technology.

AIR CORE BASALITE PRO



Extremely lightweight and torsion-free construction with highly stable sidewalls. Volcanic basalt fibres for minimum weight and perfect flex characteristics regardless of temperature.

AIR CORE BASALITE



Combination of Air Core material and extremely lightweight wood with air channels for efficient weight saving. Basalt fibres for perfect flex characteristics regardless of temperature.

AIR TEC BASALITE



Special air channels in the lightweight wood types reduce weight compared to the Air Channel construction. Basalt fibres for perfect flex characteristics regardless of temperature.

AIR CHANNEL BASALITE



Fibreglass/wood core with integrated air channels to save up to 250g in weight compared to pure wood cores. A further 40g lighter with volcanic basalt fibres.

AIR TEC STEEL EDGE



Air channels combined with new, very light wood types. Weight-optimised core for steel edge skis.

AIR CHANNEL



Air channels integrated into the fibre glass wood core save weight compared to the pure wood cores and are more resistant to breaking. Better area pressure distribution.

CROWN / CLIMBING SYSTEMS

TWIN SKIN



Two separate skin strips arranged in offset positions and with variable base-depth integration result in smooth and balanced gliding. Mohair skins ensure you can rely on the kick action.

VARIO CROWN



The new generation of Crown technology: a combination of Single, Double and Gliding Crown for efficient power transfer and optimum gliding properties.

OFFTRACK CROWN



Climbing system in all terrain, especially away from the prepared tracks and also in difficult terrain conditions. Developed exclusively for Fischer.

FISCHER EASY SKIN



The easiest way to attach climbing skins: combination of adhesion and click-in-place for reliable grip and straightforward attachment and removal.

OFFTRACK CROWN & FISCHER EASY SKIN



Exclusive climbing system combination for steel edge skis. If Offtrack Crown no longer grips in steep terrain, it's time for Fischer Easy Skin. Like a switch-on all – wheel drive.

ZERO+



Three-part roughened base developed for racing for temperatures around 0°C and warmer, Ideal second ski for difficult wax conditions.

TECH FEATURES

WORLD CUP CARBON CUFF 2.0



New ultralight carbon cuff ensures extremely light weight, excellent side stability and best forward freedom of

WORLD CUP CARBON CUFF



HINGED POLYMER CUFF



Ergonomic molded cuff for remarkable side hold with good freedom of movement to the front and back. Easy to adjust with Velcro fastener. Canting and EVA padding depending on model.

ANKLE SUPPORT CUFF ASC3



Stable at the side, movable forwards: newly developed ankle support with pivot joint for optimum power transfer, ndividually adjustable thanks to Powerstrap.

INTEGRAL CARBON CHASSIS Outer sole, insole and side stabilisation



WORLD CUP CARBON CROSSLINK



external stabilising elements made of high-strength carbon fibres fix the WC Carbon Cuff to the boot, ensuring the high degree of torsional resistance.

POLYMER CROSSLINK



External stabilisation element made of lightweight polymer for the cuff. Ensures high torsional resistance thanks to it being particularly robust.

transfer. INJECTED EXTERIOR HEEL CAP



Good heel cradling and robust protection all in one: exterior heel cap for even better power transfer.

INTERNAL MOLDED HEEL CAP



Internal anatomically shaped heel cap. Very light and individually thermoformable.

FISCHER SPEED LOCK SYSTEM



New, revolutionary quick lock with minimum size and weight. Simply pull the laces tight - that's it! The system is safe and reliable.

INSTEP STRAP



Additional outer fastener where the instenis (either with Velcro or ratchet strap). Makes the foot even more secure and enables better power transfer.

THERMO FIT



Thermally formable foam cushioning with outstanding thermal insulation - a perfect fit for the individual shape of the foot.

CANTING



Canting function on both sides, each with two settings. Enables medial and lateral adjustment to the lower leg axis. Height adjustable up to 4mm with special key provided.

EASY ENTRY LOOPS



Practical entry loops and wide-opening designs guarantee that boots can be put on/taken off comfortably.

EXTENDED FIT SYSTEM



The dual insole system can be optimally adapted to growing feet. Additional space is created by removing the additional insole

INTEGRATED GAITER



BOOT TECHNOLOGY

Integrated, easily adjustable gaiter for optimum protection in deep snow. Waterproof lightweight material and sealed zip for maximum cross country skiing enjoyment even in untracked terrain

SEALED ZIPPER



The specially sealed zipper system ensures that any moisture is kept out.

TRIPLE-F MEMBRANE



Special membrane ensures that conditions inside the boot are perfect: dry, warm and breathable.

WOOL-LIKE LINING



Warming lining material with wool for feet that are sensitive to the cold. Ensures feet also stay warm without feeling moist on longer outings.

CLEANSPORT NXT



A natural, chemical-free enzyme system that works to control odor on insoles and

COMFORT GUARD



Very lightweight, water-repelling insulation material for additional thermal protection in the forefoot and toe area.

SOLE

XCELERATOR SSR



Two-part construction means 50% saving in weight compared to Xcelerator Sole and forms the perfect entity with Integral Carbon Chassis.

XCELERATOR



Top racing sole for more direct power transfer through neutral foot position. Extremely light with optimised flex and torsional stiffness. Different hardnesses for skating and classic

R3



Better flex, optimised torsional stiffness more stability through wide underfoot. Different material hardnesses for skating/ classic. PEBAX or PU constructions.

T4 / T3



T4: Pure PU sole with comfortable, softer flex and good walkability. T3: Better power transfer, optimum flex.



Optimum support in difficult terrain. Reliable walking thanks to non-slip profile.

VIBRAM ® 75 MM



Standard Vibram ® 75 sole. Excellent support in difficult terrain. Non-slip profile with specially developed rubber mixture.

BOOT FIT CONCEPT





comfortable walking.







The right fit for all requirements. Whether it's shaped for the female foot with the comfort or race version, customised for the feet of young skiers, meeting the comfort requirements of all-rounders or for direct power transfer in racing: the Boot Fit Concept with special lasts is the answer to all the different needs and morphologies of the various consumer groups.

TECH FEATURES

CORK LITE GRIP



RACE CORK GRIP



Particularly pleasant pole handling thanks to ergonomic grip shape. Grip area extended downwards in high-quality cork

QUICK CLICK STRAP



Grip strap system with release button for quick release and automatic fixture without having to readjust when inserting the hand again.

SPEED STRAP



POLE TECHNOLOGY

New strap reduced to the most important details and for an optimum fit; minimum weight and direct power transfer ensure perfect pole control.

QUICK FIT STRAP



The exclusive strap: the zipper system means you can insert/remove hands fast without altering the perfect fit.

BC STRAP



Shape-retaining strap made of EVA Adapts to the shape of the hand and, thanks to the memory function, stays wide open for comfortable hand insertion/

MULTI TIP SYSTEM



Locking mechanism for fast and safe pole tip changeover. Available with small and large tip for winter and a summer tip for roller skiina.

RACE LITE AERO SMALL/BIG



Extremely light basket with aerodynamic profile for even better power transfer and impressive lightness when using the pole.

OFFTRACK BASKET



Sporty, large-surface backcountry basket. Ultra-light (only 17g) and swing-optimised. Tip moved forward for efficient motion support.

AIR CARBON UHM SHAFT



shaft made of special, even stronger UHM carbon fibres in proven 16:9 geometry for maximum stiffness and minimum weight.

ALUMINIUM SHAFT



Shaft made of extremely robust aluminium for a perfect balance between breaking strength and weight. Enables a wide area of use in all pole categories.


AIR LOCK 2.0



New developed, ultralight and easy to operate locking system with excellent holding strength.

| Article no. NIS | Stiffness | Model | NIS | Sidecut | Lengths (cm) | Weight (g) / Length (cm) | Core | Race Code | Stamped / Construction number | Cold Base Bonding | DTG Plus/Cold/Universa | Finish First | Precision Pairing System | Fischer Carbon Fibre | Carbon Pro Tip & Tail | Tip & Tail | ding | Rental Tail Protector | Power Layer | Base / Climbing aid |
|----------------------------|---------------------------|----------------------------|-----|--------------|--------------|--------------------------|--------------------------|-----------|----------------------------------|-------------------|------------------------|--------------|--------------------------|----------------------|-----------------------|------------|------|-----------------------|-------------|----------------------|
| N07715 N07815 | ASSIC Soft Medium | SPEEDMAX CLASSIC PLUS | NIS | 41-44-44 | 187 - 207 | 1.030 / | Air Core | | 9Q / | | Р | | | | | П | T | T | T | WC Plus / |
| N07915 N06715 N06815 | Stiff Soft Medium | SPEEDMAX CLASSIC COLD | NIS | 41-44-44 | 187 - 207 | 1.030 / | Air Core | | 902 8Q2 / | | С | | | | | | | | | WC Cold / |
| N06915 N08715 N08815 | Stiff Soft Medium | SPEEDMAX CLASSIC C-SPECIAL | NIS | 41 - 44 - 44 | 192 - 207 | 197 1.030 / 197 | Air Core HM Carbon | | 9Q / 902 | | P | | | | | | 1 | | | WC C-Specia / Wax |
| N09815 N09715 | | SPEEDMAX ZERO+ | NIS | 41 - 44 - 44 | 192 - 207 | 1.030 / | Air Core HM Carbon | | 9Q / 902 | | P | | | | | | | | | WC Plus / Zero+ |
| N13715 N13815 | Soft Medium | CARBONLITE CLASSIC PLUS | NIS | 41 - 44 - 44 | 187 - 207 | 980 / | Air Core Carbonlite | | 81 / 812 | | P | | | | | | 1 | ١, | | WC Plus / Wax |
| N13915 N12715 N12815 | | CARBONLITE CLASSIC COLD | NIS | 41-44-44 | 192-207 | 980 / | Air Core | | 81 / 812 | | С | | | | | | | | | WC Cold / Wax |
| N12915 N19715 N19815 | Stiff Soft Medium | RCS CLASSIC PLUS | NIS | 41 - 44 - 44 | 187 - 207 | 1.090 / 1.097 | Air Core | | 812 | П | P | | | | T | | Ī | , | | WC Plus / |
| N19915 N18715 | Stiff | RCS CLASSIC COLD | NIS | 41-44-44 | 187 - 207 | 1.090 / | Air Core | | 812 | | С | | | | | | | | | WC Cold / |
| N18815 | Soft | RCS ZERO+ | NIS | 41 - 44 - 44 | 187 - 207 | 1.090 / | Air Core | | 902 | П | P | | | | T | | 1 | | | WC Plus / |
| N20815 N25215 | Medium Medium Stiff | RCS CROWN | NIS | 41-44-44 | 187 - 207 | 1.090 / | Carbon Air Core | | 812 | | P | | | | | | | | | WC Plus / |
| N25315 N26615 | Soft-Med | TWIN SKIN RACE | NIS | 41 - 44 - 44 | 187 - 207 | 1.190 / | Air Core | | 812 | | U | | | | T | | | , | | WC Plus / |
| N26715 N22615 | Soft-Med | RCR CLASSIC | NIS | 41-44-44 | 187-207 | 197 | Air Core | | 812 | | U | | | | | | | | | Twin Skin WC Plus / |
| N22715 N23815 | Medium | RCR CROWN | NIS | 41 - 44 - 44 | 192 - 207 | 1.190 / | Air Core | | 812 | П | U | | | | T | П | | , | | WC Plus / |
| N23915 N24615 | Stiff | SCS CLASSIC | NIS | 41-44-44 | 182-207 | 197 | Air Core | | 812 | | U | | | | İ | | | | | Vario Crowr |
| N25615 | | CRS CLASSIC VASA | NIS | 41 - 44 - 44 | 182 - 207 | 1.330 / | Basalite Pro Air Core | | 812 | Н | | | | | T | | | | | WC Pro / |
| N25815 | | CRS ZERO+ VASA | NIS | 41-44-44 | 182-207 | 1.330 / | Basalite Air Core | | 812 | | | | | | | | | | | WC Pro / |
| N26115 | | CRS CROWN | NIS | | 182-207 | 1.330 / | Basalite Air Core | | 812 | | | | | | T | H | | Ŧ | | Zero+ WC Pro / |
| N26916 | | TWIN SKIN PRO | | 41-44-44 | 182-207 | 1.330 / | Basalite Air Tec | h | 812 | | | | | | | | | | | WC Pro / |
| N28115 | | SC COMBI | NIS | | 177-202 | 1.360 / | Basalite Air Tec | | | | 1 | | | | T | П | | Ŧ | | Twin Skin WC Pro / |
| N29115 | | SC CLASSIC | | 41-44-44 | 182-207 | 1.360 / | Basalite Air Tec | | | | | | | | | H | | | | Wax WC Pro / |
| | | PLASTIF FISCHER D | | | | 197 | Basalite | | | | | | | | | | | | | Wax |
| CE SK N04815 | ATING | SPEEDMAX SKATE PLUS | - | | | 1.030 / | Air Core | ۳ | 1Q / | | | - | × | П | | H | | 7 | 7 | WO DI |
| N04915 N03815 | Stiff | SPEEDMAX SKATE COLD | NIS | | 171 - 191 | 186 | HM Carbon Air Core | | 610 1Q/ | | P | • | | | | H | | | | WC Plus |
| N03915 | Stiff | SPEEDMAX SKATE C-SPECIAL | NIS | | 176-191 | 186 | HM Carbon Air Core | • | 610 1Q/ | Н | | • • | | | | H | | - | H | WC Cold |
| N05915 N11815 | Medium | CARBONLITE SKATE H-PLUS | | 41 - 44 - 44 | 176-191 | 186 | HM Carbon Air Core | • | 610 | ٠ | P | | - | | | | | | | WC C-Spec |
| N11915 N11015 N10815 | Xtra Stiff | CARBONLITE SKATE COLD | NIS | | 171 - 191 | 186 | Carbonlite Air Core | • | 115 | | P | | | | • | | | | • | WC Plus |
| N10915 | Stiff | RCS SKATE PLUS | NIS | 41 - 44 - 44 | 176-191 | 186 | Carbonlite Air Core | ٠ | 610 | | С | • • | | • | • | | | | • | WC Cold |
| N17815 N17915 | Stiff | RCS SKATE COLD | NIS | 41 - 44 - 44 | 172-192 | 187 | Carbon | | 115 | | P | • • | • | | • | | | | • | WC Plus |
| N16815 N16915 | Stiff | RCR SKATE | NIS | 41 - 44 - 44 | 177 - 192 | 1.090 / | Air Core Carbon | | 115 | | С | • • | • | | • | | | | • | WC Cold |
| N21815 N21915 | | SCS SKATE | NIS | 41 - 44 - 44 | 172 - 192 | 1.190 / 187 | Air Core Basalite Pro | | 115 | | U | • | • | | | | | | • | WC Plus |
| N24115 | | CRS SKATE | NIS | 41 - 44 - 44 | 172 - 192 | 1.270 / | Air Core Basalite Pro | | 115 | | U | • | • | | | | | ٠ | • | WC Pro |
| N25115 | | FISCHER D | NIS | 41 - 44 - 44 | 167 - 192 | 1.320 / | Air Core Basalite | | 115 | | | | | | | | ٠ | | | WC Pro |
| N27615 | | SC SKATE | NIS | 41 - 44 - 44 | 172 - 192 | 1.360 / 187 | Air Tec Basalite | | 115 | | | | | | | | • | • | | WC Pro |

LINE-UPS



> 90

| Article no. ski only | Article no. NIS | Stiffness | Model | SIN | Sidecut | Lengths (cm) | Weight (g) / Length (cm) | Core | Efficient Forward | Speed Grinding | Ultra Tuning | Rental Tail Protector | Power Layer | wide body recrinology Base / Climbing aid |
|----------------------|------------------|------------|-----------------------|----------|--------------|-------------------------------|--------------------------|-------------------------|-------------------|----------------|--------------|-----------------------|-------------|---|
| SPOR | T | | OURDENIE ORONALES | | THE SERVICE | AND DESCRIPTIONS | | STATE OF | | W | | | | 3.923.63 |
| | N39616 | | SUPREME CROWN EF | NIS | 46-42-44 | 179-204 | 1.190 / 194 | Air Core Basalite | • | • | | | • | WC Pro / Vario Crown |
| | N39816 | | SUPREME WAX EF | NIS | 46-42-44 | 179-204 | 1.220 / 194 | Air Core Basalite | | | | | | WC Pro / Wax |
| | N40116 N40216 | Xtra Stiff | SUPERLITE CROWN EF | NIS | 48 - 44 - 46 | 179-204 | 1.260 / | Air Core Basalite | | | П | Т | | WC Pro / Vario Crown |
| | N40616 | | SUPERLITE WAX EF | NIS | 48 - 44 - 46 | 179-204 | 1.290 / | Air Core Basalite | | | | | | WC Pro / Wax |
| | N41116 | | ULTRALITE CROWN EF | NIS | 49 - 45 - 47 | 179-204 | 1.320 / | Air Tec Basalite | | | П | Т | | Protec / Vario Crown |
| | N43616 | | FIBRE CROWN EF | NIS | 51 - 46 - 49 | 179-204 | 1.390 / | Air Channel Basalite | | | | | | Sintec / Vario Crown |
| | N44116 | | SPORT GLASS EF | NIS | 51 - 46 - 49 | 179-204 | 1.420 / | Air Channel Basalite | | | П | | | Sintec / Wax |
| | N45716 | | SPORTY CROWN | NIS | 52 - 48 - 50 | 179-204 | 1.650 / 194 | Air Channel | | | | | | Sintec / Premium Crown |
| | N46216 | | SPORTY WAX | NIS | 52 - 48 - 50 | 179-204 | 1.650 / 194 | Air Channel | | | ٠ | T | T | Sintec / Wax |
| NOM | EN SPO | DT | | | | | | | | | | | | |
| N49016 | LIN SP | JNI | SPIRIT CROWN MY STYLE | | 52 - 48 - 50 | 179 - 194 | 1.490 / 184 | Air Channel | | | | | | Sintec / Premium Crown |
| MOW | EN NO | RDIC (| CRUISING | - harded | 10000000 | | | No. of Concession | | | | | | 0.9146600 |
| | N36116 | | INSPIRE MY STYLE | NIS | 43 - 48 - 43 | XS (164), S (169), M (174) | 1.210 / S | Air Core Basalite | Г | | П | • | | WC Pro / Vario Crown |
| | N37116 | | MYSTIQUE MY STYLE | NIS | 45 - 50 - 45 | XS (164), S (169), M (174) | 1.250 / S | Air Channel Basalite | | | | | | Protec / Vario Crown |
| | N38116 | | ELEGANCE MY STYLE | NIS | 45 - 50 - 45 | XS (164), S (169), M (174) | 1.310 / S | Air Channel | | | • | • | • | Sintec / Vario Crown |
| NORE | DIC CRI | JISING | | 90000 | 100000 | 4 2 3 5 6 6 6 6 | | | | | | 111 | | |
| | N30616 | | ORBITER PISCHER | NIS | 43 - 48 - 43 | M (174), L (184), XL (189) | 1.230 / M | Air Core Basalite | | | | • | | WC Pro / Vario Crown |
| | N31116 | | CRUISER PISCHER | NIS | 45-50-45 | M (174), L (184), XL (189) | 1.310 / M | Air Channel Basalite | | | | | | Protec / Vario Crown |
| | N32116 | | APOLLO | - NIS | 45 - 50 - 45 | M (174), L (184), XL (189) | 1.310 / M | Air Channel | | | | | | Sintec / Vario Crown |

| Lengths recon | nmendat WON | ion IEN S | POR | т | | | |
|---------------------|-----------------------|--------------|------------------|-----|-----|-----|----------------|
| Body weight (kg) | _ | | / Stiffne 189 | 194 | 199 | 204 | 204 X-Stiff |
| < 49 | | | | | | | |
| 50 - 54 | | | | | | | |
| 55 - 59 | | | | | | | |
| 60 - 64 | | | | | | | |
| 65 - 69 | | | | | | | |
| 70 - 74 | | | | | | | |
| 75 - 79 | | | | | | | |
| 80 - 84 | | | | | | | |
| 85 - 89 | | | | | | | |
| > 90 | | | | | | | |
| 100 - 130 | | | | | | | |

| Body | Lengt | h | |
|-------------|-------|---|----|
| weight (kg) | М | L | XL |
| 55 - 79 | | | |
| 80 - 95 | | | |
| > 95 | | | |



| Article no. ski only | Article no. NIS | Model | NIS | Sidecut | Lengths (cm) | Weight (g) / Length (cm) | Core | Speed Grinding | Ultra Tuning | Rental Tail Protector | Nordic Rocker Camber | Offtrack Crown & Easy Skir | Easy Skin 650 x 35mm | Easy Skin 650 x 65mm | Steel Edge | Base / Climbing aid |
|----------------------|-----------------|---------------------------------------|-----|----------------|----------------------------|--------------------------|-----------------------|----------------|--------------|-----------------------|----------------------|----------------------------|----------------------|----------------------|------------|--|
| OFFTI | RACK | CRUISING | | 10 10 10 | | 17.7 | | | | п | | п | | | | |
| | N50015 | ADVENTURE 56 | NIS | 56-48-54 | 169, 179, 189 | 1.690 / 179 | Air Tec Steel Edge | • | | | | | | | • | Sintec / Offtrack Crown |
| N50515 | N50615 | SPIDER 62 | NIS | 62-52-60 | 169, 179, 189 | 1.790 / 179 | Air Tec Steel Edge | • | | | | | | | | Sintec / Offtrack Crown |
| N51015 | | OUTBACK 68 | | 68 - 59 - 64 | 169, 179, 189 | 1.990 / 179 | Air Tec Steel Edge | • | | | | | | | | Sintec / Offtrack Crown |
| N51515 | | TRAVERSE 78 CROWN/SKIN | | 78-61-69 | 169, 179, 189 | 2.090 / 179 | Air Channel | | | | | | | | | Sintec / Offtrack Crown & Easy Skin |
| N51715 | | EXCURSION 88 CROWN/SKIN | | 88-68-78 | 169, 179, 189 | 2.280 / 179 | Air Channel | • | | | | • | | | | Sintec / Offtrack Crown & Easy Skin |
| BACK N52016 | COUN | COUNTRY CROWN | | 60 - 52 - 57 | 180-210 | 1.660 / 200 | Air Channel | | | | | | | | | Sintec / Vario Crown |
| N52516 | | E89 EASY SKIN XTRALITE | | 59-49-55 | 170, 180 - 210 | 1.850 / 200 | Air Tec Steel Edge | | | | | | | | | Sintec / Wax - Easy Skin |
| N52616 | | E89 CROWN XTRALITE | | 59-49-55 | 170, 180 - 205 | 1.850 / 200 | Air Tec Steel Edge | | | • | | | | Τ | | Sintec / Offtrack Crown |
| 153016 | | E99 EASY SKIN XTRALITE | | 66-54-61 | 180-210 | 1.950 / 200 | Air Tec Steel Edge | • | | • | | | | • | • | Sintec / Wax - Easy Skin |
| 153116 | | E99 CROWN XTRALITE | | 66-54-61 | 180-210 | 1.950 / 200 | Air Tec Steel Edge | • | | • | | | | | • | Sintec / Offtrack Crown |
| N56016 | | E109 EASY SKIN XTRALITE | | 82-60-70 | 170, 180, 190, 200, 205 | 2.050 / 200 | Air Tec Steel Edge | • | | | | | • | • | • | Sintec / Wax - Easy Skin |
| S-BOI | JND | | | | | 10000 | | | | | | | 100 | | | |
| 157515 | | S-BOUND 98 CROWN/SKIN | | 98 - 69 - 88 | 169, 179, 189 | 2.490 / 179 | Air Channel | • | | • | | | | | • | Sintec / Offtrack Crown & Easy Skin |
| 158015 | | S-BOUND 112 CROWN/SKIN | | 112-78-95 | 169, 179, 189 | 2.690 / 179 | Air Channel | | | • | | | | | | Sintec / Offtrack Crown & Easy Skin |
| N58515 | | S-BOUND 125 CROWN/SKIN | | 125 - 95 - 120 | 165, 175, 185 | 2.990 / 179 | Air Channel | • | | • | | | • | • | • | Sintec / Offtrack Crown & Easy Skin |
| ISCH | IER EA | SY SKIN | | 161111111 | | 1000 | W 100 W | (3) | 100 | | | 100 | 18. | .01 | | CHEST OF STREET |
| <50014 | | FISCHER EASY SKIN Size: 650 x 35mm | | | | | | | | | | | | | | Mohair Mix |
| < 50114 | | FISCHER EASY SKIN Size: 650 x 50mm | | | | | | | | | | | | | | Mohair Mix |
| <50215 | | FISCHER EASY SKIN Size: 650 x 65mm | | | | | | | | T | T | | | T | | Mohair Mix |


| Lengths recor OFFTRAC S-BOUNI | CK CF | | NG / |
|-------------------------------------|-------|----------------|------|
| Body weight (kg) | - | th (cm) 179 | 189 |
| < 69 | | | |
| 65 - 89 | | | |
| > 85 | | | |

| Body | Lengt | th (cm) | | | | | | | Lengt | th (cm) | | | |
|-------------|-------|---------|-----|-----|-----|-----|-----|-----|-------|---------|-----|-----|-----|
| weight (kg) | 170 | | 185 | 190 | 195 | 200 | 205 | 210 | - | 180 | 190 | 200 | 205 |
| < 49 | | | | | | | | | | | | | |
| 50 - 54 | | | | | | | | | | | | | |
| 55 - 59 | | | | | | | | | | | | | |
| 60 - 64 | | | | | | | | | | | | - | |
| 65 - 69 | | | | | | | | | | | | | |
| 70 - 74 | | | | | | | | | | | | | |
| 75 - 79 | | | | | | | | | | | | | |
| 80 - 84 | | | | | | | | | | | | | |
| 85 - 89 | | | | | | H | | | | | | | |
| > 90 | | | | | | | | - V | | | | | |

| N62015 RCR SKATE | Article no. ski only | Article no. NIS | Model | NIS or NIS mounted | Sidecut | Lengths (cm) | Weight (g) / Length (cm) | Core | Race Code | DTG Plus/Cold/Universal | Prewaxed | Computer Flex Control | | Speed Tip & Tail | Speed Grinding | Ultra Tuning Rental Tail Protector | DOWN FOLD | Power Layer | Base / Climbing aid |
|--|----------------------|-----------------|------------------------|--------------------|--------------|-------------------|--------------------------|-------------|-----------|-------------------------|----------|-----------------------|---|------------------|----------------|------------------------------------|-----------|-------------|--------------------------|
| NS 11-44-44 141-176 162 Carbonlite P P P P P P P P P | UN | IIOR | | September 1 | | | | | | | | ı | п | | п | | ı | ø | THE RESERVE |
| NS9615 | | N59115 | | NIS | 41 - 44 - 44 | 141 - 176 | | | • | Р | • | | • | | | | | | WC Plus |
| NS 11-44-44 162, 172, 182 182 172 Carbonille P P P P P P P P P | | N59615 | | NIS | 41 - 44 - 44 | 157, 162-187 | | | | Р | | | | | | | | | |
| N60016 NIS 41-44-44 142-177 157 Basalite | | N59715 | CARBONLITE ZERO+ JR. | NIS | 41 - 44 - 44 | 162, 172, 182 | | | | Р | | | | | | T | | | |
| N61015 N61015 NIS 41-44-44 152-187 167 Basalite NIS Wax NIS NI | | N60015 | | NIS | 41-44-44 | 142-177 | | | | | | | H | | | | | | WC Pro |
| N61515 NIS 41-44-44 127, 137, 147-182 147 Basalite NIS Max NIS Max NIS Max NIS Max Max NIS Max NIS Max NIS Max Max NIS Max NIS Max Max NIS Max NIS Max Max NIS Max M | | N61015 | RCS CLASSIC | NIS | 41 - 44 - 44 | 152 - 187 | | | Т | | | T | Т | | • | | | | |
| N61915 NIS 41-44-44 167, 177 147 Basalite | | N61515 | | NIS | 41 - 44 - 44 | 127, 137, 147-182 | | | | | | | | | | | | | |
| N62015 NIS 41-44-44 122, 132, 142, 152, 162, 172 142 Basalite • • WC Pro N62415 SCS SKATE NIS 41-44-44 122, 132, 142, 152, 162 132 Air Channel • Sintec N62715 SCS RACE NIS 41-44-44 117, 127, 137, 147, 147, 147, 147, 147 147 Air Channel • • Sintec / Wax N63015 SPRINT CROWN NIS 51-47-50 90-170 980 / 150 Air Channel • • Sintec / Crown Tec N63515 NIS 51-47-50 90-170 980 / 150 Air Channel • • Sintec / Crown Tec N64516 SNOWSTAR GREEN NIS/MTD MTD 54-48-52 90-140 690 / 110 Air Channel • Sintec / Crown Tec N64616 SNOWSTAR PINK NIS/MTD MTD 54-48-52 90-140 690 / 48 Channel • Sintec / Crown Tec | | N61915 | | NIS | 41 - 44 - 44 | | | | Т | | П | T | Т | | • | | | | WC Pro / Premium Crow |
| N62415 NIS 41-44-44 152, 162, 132 Air Channel Sintec N62715 SCS RACE NIS 41-44-44 117, 127, 137, 147, 157, 162, 167, 172 890 / 147 Air Channel • • Sintec / Wax N63015 SPRINT CROWN NIS 51-47-50 90-170 980 / 150 Air Channel • • Sintec / Crown Tec N63515 NIS 51-47-50 90-170 980 / 150 Air Channel • • Sintec / Crown Tec N64516 SNOWSTAR GREEN NIS/MTD MTD 54-48-52 90-140 690 / 110 Air Channel • Sintec / Crown Tec N64616 SNOWSTAR PINK NIS/MTD MTD 54-48-52 90-140 690 / 110 Air Channel • Sintec / Crown Tec | | N62015 | | NIS | 41 - 44 - 44 | | | | | | | | | | | | | | WC Pro |
| N62715 NIS 41-44-44 157, 162, 167, 172 147 Air Channel • Wax N63015 SPRINT CROWN NIS 51-47-50 90-170 980 / 150 Air Channel • • Sintec / Crown Tec N63515 SPRINT NIS 51-47-50 90-170 980 / 150 Air Channel • • Sintec / Wax N64516 SNOWSTAR GREEN NIS / MTD MTD 54-48-52 90-140 690 / 110 Air Channel • Sintec / Crown Tec N64516 SNOWSTAR PINK NIS / MTD MTD 54-48-52 90-140 690 / 4ir Channel • Sintec / Sintec / Crown Tec | | N62415 | SCS SKATE | NIS | 41 - 44 - 44 | | | Air Channel | Т | | | T | Г | П | | | Ī | Т | Sintec |
| N63015 NIS 51-47-50 90-170 150 Air Channel • • Crown Tec N63515 SPRINT NIS 51-47-50 90-170 980 / 150 Air Channel • • Sintec / Wax N64516 SNOWSTAR GREEN NIS/MTD MTD 54-48-52 90-140 690 / 110 Air Channel • Sintec / Crown Tec N64516 SNOWSTAR PINK NIS/MTD MTD 54-48-52 90-140 690 / 690 / 690 / 690 Air Channel • Sintec / Sintec / Sintec / Crown Tec | | N62715 | | NIS | 41-44-44 | | | Air Channel | | | | | | | | | | | |
| N63515 NIS 51-47-50 90-170 90-170 Air Channel • Wax N64516 SNOWSTAR GREEN NIS/MTD MTD 54-48-52 90-140 690 / 110 Air Channel • Sintec / Crown Tec N64516 SNOWSTAR PINK NIS/MTD MTD 54-48-52 90-140 690 / Air Channel • Sintec / Crown Tec | | N63015 | | NIS | 51 - 47 - 50 | 90 - 170 | | Air Channel | T | | | | Ī | | | | | | Sintec / Crown Tec |
| N64516 MTD 54-48-52 90-140 110 Air Channel • Crown Tec SNOWSTAR PINK NIS / MTD N64616 MTD 54-48-52 90-140 690 / Air Channel • Sintec / | | N63515 | | NIS | 51 - 47 - 50 | 90 - 170 | | Air Channel | | | | | | | | | | ı | |
| SNOWSTAR PINK NIS / MTD | | N64516 | SNOWSTAR GREEN NIS/MTD | MTD | 54 - 48 - 52 | 90 - 140 | 690 / | Air Channel | T | | | T | Ī | | | | Ī | T | |
| | | N64616 | | мтр | 54-48-52 | 90 - 140 | | Air Channel | | | | | | | | | | | |
| | | CARBO | ONLITE SKATE JR | | RCS SI | KATE JR | | RCR SKATI | E | | | | | 8 | CS | SK | A1 | E | 0.01.0 |



^{*} Model starts at 157cm



| Article no. | Model | | Sizes | Sole | Bootflex | Weight | Fit Concept | Race Code | World Cup Carbon Cuff 2.0 | World Cup Carbon Cuff | Hinged Polymer Cuff | Integral Carbon Chassis | World Cup Carbon Crosslink | Polymer Crosslink | Injected Exterior Heel Cap | Speed Lock System | Instep Strap | Frame Technology | Thermo Fit | Canting | Easy Entry Loops Extended Fit System | Ratchet Lock Buckle | Integrated Gaiter | Sealed Zipper | Triple F Membrane | Wool-like Lining | Fleece Lining | Comfort Guard | Thermo Insole | Leather Upper |
|-------------|---------------------------|-----------|--|-------------------|----------|--------------|-------------|-----------|---------------------------|-----------------------|---------------------|-------------------------|----------------------------|-------------------|----------------------------|-------------------|--------------|------------------|------------|---------|--------------------------------------|---------------------|-------------------|---------------|-------------------|------------------|---------------|---------------|---------------|---------------|
| RACE | CLASSIC | BEST HEAD | 41 - 46 | | | 1000 | 0.00 | ۳ | • | | 7 | T | | 7 | 7 | ۳ | ۳ | | ٩ | ۲ | ۳ | T | ۳ | | | - | 7 | T | | |
| S01416 | SPEEDMAX CLASSIC | | Half size insoles included. | Xcelerator SSR | soft | 340g / 42 | Race | | | | | ٠ | | | | | | | | | • | | | • | | | | | ٠ | |
| S10514 | RCS CARBONLITE CLASSIC | | 36 - 49 Half sizes | Xcelerator | soft | 336g / 42 | Race | | | | | | | | | | | | | | | | | | | | | | • | |
| S16814 | RC7 CLASSIC | PISCHER | 36 - 49 | Xcelerator | soft | 341g / 42 | Race | | | | | | | | | | | | | | | | | | | | | | | |
| S17015 | RC5 CLASSIC | 6 | 36 - 48 | R3 PU 2color | soft | 430g / 42 | Race | | | | | | | | | | | | | | | | | | | | | | | |
| S17215 | RC3 CLASSIC | 5 | 36 - 48 | T4 2color | soft | 444g / 42 | Race | | | | Ī | | | | | | | | | | | | | | | | | | | |
| BACE | SKATING | | | | 4.55 | | 1000 | | | | | | | | | | | | | | | | 100 | | | | | | | |
| S01015 | SPEEDMAX SKATE | | 41 - 46 Half size insoles included. | Xcelerator SSR | stiff | 465g / 42 | Race | | | | Ī | | | | | | Ī | | | Ī | | Ī | | | | | 1. | | | |
| S00113 | RCS CARBONLITE SKATE | CR | 36 - 49 Half sizes | Xcelerator | stiff | 596g / 42 | Race | | | | | | | | | | | | | | | | | | | | | | | |
| S15215 | RC7 SKATE | | 36 - 49 | Xcelerator | stiff | 586g / 42 | Race | | | | | Ī | | | | | | | | | | Ī | | | | | | | | |
| S15415 | RC5 SKATE | 3 | 36 - 48 | R3 PU 2color | stiff | 605g / 42 | Race | | | | | | | | | | | | | | | | | | | | | | | |
| S15615 | RC3 SKATE | | 36 - 48 | T4 2color | stiff | 598g / 42 | Race | | | | | | | | | | | | | | | | | | | | | | | |
| RACE | СОМВІ | | 200 | 1076/01 | 1000 | 0.5656 | The Sale | | | 100 | | | | | | 1 | | | 100 | 10 | | | | | | | | | | |
| S05515 | SPEEDMAX SKIATHLON | | 41 - 46 Half size insoles included. | Xcelerator SSR | soft | 566g / 42 | Race | | • | | Ī | | | | Ī | | Ī | | Ī | Ī | | Ī | Ī | | | | | | | |
| S18515 | RC5 COMBI | | 36 - 50 | R3 PU 2color | medium | 585g / 42 | Race | | | | | | | | | | | | | | | | | | | | | | | |
| S18615 | RC5 COMBI OVERSIZE | 3 | 51 - 52 | T4 | medium | 585g / 42 | Race | | | | | | | | | | | | | | | | Ī | | | | | | Г | |
| S18715 | RC3 COMBI | 4 | 36 - 48 | T4 2color | medium | 577g / 42 | Race | | | | | | | | | | | | | | | | | | | | | | | |

| Article no. | Model | * 1 | Sizes | Sole | Bootflex | Weight | Fit Concept | Race Code | World Cup Carbon Cuff 2.0 | World Cup Carbon Cuff | Hinged Polymer Cuff | Ankle Support Cuff ASC3 | World Cun Carbon Crosslink | Polymer Crosslink | Injected Exterior Heel Cap | Internal Molded Heel Cap | Speed Lock System | Instep Strap | Frame Technology | Cantina | Easy Entry Loops | Extended Fit System | Ratchet Lock Buckle | Integrated Gaiter | Trinla F Memhrana | Wool-like Lining | Fleece Lining | Cleansport NXT | Comfort Guard | Thermo Insole Leather Upper |
|-------------|------------------------------|--|--|-------------------|----------|--------------|--------------|-----------|---------------------------|-----------------------|---------------------|-------------------------|----------------------------|-------------------|----------------------------|--------------------------|-------------------|--------------|------------------|---------|------------------|---------------------|---------------------|-------------------|-------------------|------------------|---------------|----------------|---------------|--------------------------------|
| WOM | EN RACE | CONTRACT. | 17272 | | | 10000 | 1,13 | | | | п | ų | | | | | | | п | ø | | | | | ø | | | | | |
| S01215 | SPEEDMAX SKATE WS | E. | 38 - 42 Half size insoles included. | Xcelerator SSR | stiff | 406g / 38 | Race Lady | | | | | | | | | | | | | | | | | | | | | | | • |
| S01616 | SPEEDMAX CLASSIC WS | | 38 - 42 Half size insoles included. | Xcelerator SSR | soft | 300g / 38 | Race Lady | | | | | | | | | | | | | | | | | | | | | | | |
| S10613 | RCS CARBONLITE SKATE WS | E | 36 - 43 Half sizes | Xcelerator | stiff | 515g / 38 | Race Lady | | | | | | | | | | | | | | | | | | | | | | | |
| S12014 | RCS CARBONLITE CLASSIC WS | | 36 - 43 Half sizes | Xcelerator | soft | 291g / 38 | Race Lady | | | | | | | | | | | | | | | | | | | | | | | |
| S16015 | RC7 SKATE MY STYLE | | 36 - 43 | Xcelerator | stiff | 485g / 38 | Race Lady | | | | | | Ī | | | | | | Ī | | | | | | | | | | | Ī |
| S16415 | RC SKATE MY STYLE | | 36 - 43 | T4 2color | stiff | 508g / 38 | Lady | | | | | | | | | | | | | | | | | | | | | | | |
| S18115 | RC CLASSIC MY STYLE | The state of the s | 36 - 43 | T4 2color | soft | 339g / 38 | Lady | | | | Ī | | | | | | | | | | | | | Ī | Ī | | | | | Ī |
| WOM | EN NORDIC CR | UISING / SI | PORT | 115 114 | 1000 | | 72.19 | | | | | | | | | | | | | | | | | | | | | | | |
| S28216 | XC CONTROL MY STYLE | 4 | 36 - 43 | T4 2color | soft | 485g / 38 | Lady | | | | | • | | | | | | | | | | | | | | | | | • | |
| S28416 | XC COMFORT PRO MY STYLE | 5 | 35 - 43 | T4 2color | soft | 440g / 38 | Lady | | | | | | | | | | | | | | | | | | | | | | | |
| S29914 | XC COMFORT MY STYLE | | 35 - 43 | T4 2color | soft | 415g / 38 | Lady | | | | | | | | | | | | | | | | | | | | | | | |
| S28715 | XC TOURING MY STYLE | 2 | 35 - 43 | T3 1color | soft | 400g / 38 | Lady | | | | | | | | | | | | | | | | | | | | | | | |
| S29015 | XC PRO MY STYLE | 8 | 34 - 43 | T3 1color | soft | 375g / 38 | Lady | | - | | | | | | | | | | | | | | | | Ī | | | | | T |
| S23413 | XC SPORT MY STYLE | E. | 34 - 43 | T3 1color | soft | 369g / 38 | Lady | | | | | | | | | • | | | | | | | | | | | | | | |
| WOM | EN OFFTRACK | CRUISING A | BACK | COUNT | RY | | 250 | | | | | | | | | | | | | | | | | | Į. | | | | | |
| S36014 | OFFTRACK 5 BC MY STYLE | arv | 37 - 43 | BC 2color | medium | 570g / 38 | Lady | | | | | | | | | | | | | • | | | | | | | | | • | |
| S36214 | OFFTRACK 3 BC MY STYLE | | 37 - 43 | BC 2color | medium | 495g / 38 | Lady | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Article no. | DIC CRUISING / SPORT | Sizes | Sole | Bootflex | Weight | Fit Concept | Race Code | World Cup Carbon Cuff 2.0 | World Cup Carbon Cuff | Ankle Support Cuff ASC3 | Integral Carbon Chassis | World Cup Carbon Crosslink | Polymer Crosslink | Internal Molded Heel Cap | Speed Lock System | Instep Strap | Frame Technology | Inermo Fit | Easy Entry Loops | Extended Fit System | Ratchet Lock Buckle | Integrated Gaiter | Sealed Zipper | Triple F Membrane | Wool-like Lining | Cleansport NXT | Comfort Guard | Thermo Insole Leather Upper |
|-------------|--------------------------------|---------|---------------|----------|----------------|----------------|-----------|---------------------------|-----------------------|-------------------------|-------------------------|----------------------------|-------------------|--------------------------|-------------------|--------------|------------------|------------|------------------|---------------------|---------------------|-------------------|---------------|-------------------|------------------|----------------|---------------|--------------------------------|
| S20516 | XC CONTROL | 36 - 48 | T4 2color | soft | 590g / 42 | Sport | | | Ī | | | | | | | | | | | | | | | | Ī | | | Π |
| S20716 | XC COMFORT PRO SILVER | 36 - 49 | T4 2color | soft | 495g / 42 | Sport | | | | | | | | | | | | | | | | | | | | | | |
| S20916 | XC COMFORT PRO BLACK YELLOW | 36 - 49 | T4 2color | soft | 495g / 42 | Sport | | | Ī | | | | | | | | | | | | | | | | Ī | | | |
| S23014 | XC COMFORT SILVER | 36 - 49 | T4 2color | soft | 463g / 42 | Sport | | | | | | | | | | | | | | | | | | | | | | |
| S21215 | XC TOURING T3 BLACK | 36 - 49 | T3 2color | soft | 445g / 42 | Sport | | | | | | | | | | | | Ī | Ī | | | | | | | | | Т |
| S21415 | XC TOURING T4 BLACK | 36 - 49 | T3 2color | soft | 425g / 42 | Sport | | | | | | | | | | | | | | | | | | | | | | |
| S21716 | XC PRO SILVER | 36 - 48 | T3 1color | soft | 425g / 42 | Sport | | | | | | | | | | | Ī | | | | | | | | | | | |
| S21816 | XC PRO YELLOW | 36 - 48 | T3 1color | soft | 425g / 42 | Sport | | | | | | | | | | | | | | | | | | | | | | |
| S23513 | XC SPORT BLACK | 36 - 48 | T3 1color | soft | 417g / 42 | Sport | | | | | | | Ī | | | | | Ī | | | Ī | | | | | | | |
| OFFTI | RACK CRUISING | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| S35015 | | 36 - 49 | T3 1color | soft | 545g / 42 | Sport | | | | | Γ | | | Ī | Ī | | Ī | Ī | | | Ī | | | | | ŀ | | Π |
| S35415 | OFFTRACK 3 | 36 - 49 | T3 1color | soft | 477g / 42 | Sport | | | | | | | | | | | | | | | | | | | | | | |
| S35114 | OFFTRACK 5 BC | 37 - 49 | BC 2color | medium | 670g / 42 | Sport | | - | | | | | | | | | | | | | | | | | | | | |
| S35514 | OFFTRACK 3 BC | 37 - 49 | BC 2color | medium | 562g / 42 | Sport | | | | | | | | | | | | | | | | | | | | | | |
| BACK | COUNTRY / S-BOUND | | | | | Name of Street | | _ | | | | | | | | | | | | | | | | | | | | |
| | BCX 675 | 36 - 49 | Vibram ® 75mm | stiff | 1.050g / 42 | Sport | | | | | | | ŀ | • | | | | | | | | | | | | | | |
| S38016 | BCX 6 | 36 - 49 | BC 2color | stiff | 930g / 42 | Sport | | | | | | | | | | | | | | | | | | | | | | |
| S38516 | BCX 5 | 36 - 49 | BC 2color | medium | 750g / 42 | Sport | | | | | | | | | | | | | | | | | | | | | | |

| JUNIC Article no. | Model | Sizes | Sole | Bootflex | Weight | Fit Concept | Race Code | World Cup Carbon Cuff 2.0 | World Cup Carbon Cuff | Hinged Polymer Cuff Ankle Support Cuff ASC3 | Integral Carbon Chassis | World Cup Carbon Crosslink | Polymer Crosslink | Injected Exterior Heel Cap | Internal Molded Heel Cap | Speed Lock System | Instep Strap | Frame Technology | Thermo Fit | Canting | Extended Fit System | Ratchet Lock Buckle | Integrated Gaiter | Sealed Zipper | Triple F Membrane | Wool-like Lining | Fleece Lining | Comfort Guard | Thermo Insole | Leather Upper |
|----------------------|--------------------------|--|------------------------|----------|--------------|-------------|-----------|---------------------------|-----------------------|---|-------------------------|----------------------------|-------------------|----------------------------|--------------------------|-------------------|--------------|------------------|------------|---------|---------------------|---------------------|-------------------|---------------|-------------------|------------------|---------------|---------------|---------------|---------------|
| S40014 | RCS . | 35 - 43 | Xcelerator | soft | 500g / 38 | Junior | | | Ī | | Ī | Ī | | | | | | | | Ī | | | Γ | | | | | | | |
| S40214 | RCJ CLASSIC | 36 - 43 | R3 PU 2color | soft | 310g / 38 | Junior | | | | | | | | | | | | | | | | | | | | | | | | |
| S40416 | JR СОМВІ | 32 - 42 | T4 2color / T4 Jr | soft | 495g / 38 | Junior | | | | | | | | | | | | | | | | | | | | | | | | |
| S05311 | XJ SPRINT | 25 - 40 | T4 / T4 Jr | soft | 292g / 32 | Junior | | | | | | | | | | | | | | | | | | | | | | | | |
| S41016 | SNOWSTAR BLACK YELLOW | 25 - 33 | T3 1color Jr | soft | 325g / 32 | Junior | | | | | | | | | | | | | | | | | | | | | | | | |
| S41116 | SNOWSTAR PINK | 25 - 33 | T3 1color Jr | soft | 325g / 32 | Junior | | | | | | | | | | | | | | | | | | | | | | | | |
| ACCE | SSORIES | | 700 | | 470 | | | | | | | | 35 | | | | | | | | | | | | | | | | | |
| S43015 | OVERBOOT SPEEDLOCK | XS - XXL | Fischer rubber sole | - | 600g / L | - | | | | | | | | | | | | | | | | | | | | | | | | |
| S43115 | BOOTCOVER RACE | S-XXL | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| S43214 | BOOTCOVER ARCTIC | 37/38 - 47/48 | - | | | - | | | | | | | | | | | | | | | | | | | | | | | | |
| S42715 | BOOTCOVER ROLLER | S (35-37) M (38-40) L (41-43) XL (44-46) XXL (47-49) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WINT | ER EQUIPMENT | 127035 | | 1600 | 1000 | 17032 | 9 | | | | ļ | | | 100 | | | | | | | | ij | | | | | | | | |
| S43415 | RACE PROMO SHOE | 36 - 49 | Fischer rubber sole | soft | 563g / 42 | - | | - | | | | | | | | | | | | | | | | | | | | | • | |

| Article no. | Model | Race Code | Multi Tip Sys. Quick Click | Air Lock 2.0 Material Shaft | Grip | Strap | Shaft ø (mm) | Basket | Lengths | Weight per piece | Тр |
|---|--|------------|-------------------------------|--|---|--|---------------------------------|---|---|--|--|
| RACE | | | | OF PERSON | 2000 | | | | and the second | | |
| 240015 | SPEEDMAX | ~ . | | Air Carbon UHM 5.4 | Cork Lite Grip | Speed Strap | 16:9 | Racelite Aero Small Basket | 135-175 (2.5cm) / K155, K175 | 145g (145cm) | Sintered metal |
| 40115 | RCS QF | 8 | | Air Carbon HM 4.8 | Cork Lite Grip | Quick Fit Strap | 16:9 | Multi Tip Aero S | 135-175 (2.5cm) / K155, K175 | 165g (145cm) | Sintered metal |
| 40215 | RC10 QF | 6 | | Air Carbon HM 4.6 | Cork Lite Grip | Quick Fit Strap | 16:9 | Multi Tip Aero S | 135-175 (2.5cm) / K155, K175 | 180g (145cm) | Sintered metal |
| 40315 | RC9 QF | | | Air Carbon HM 4.5 | Cork Lite Grip | Quick Fit Strap | 16:9 | Multi Tip Aero S | 135-175 (2.5cm) / K155, K175 | 185g (145cm) | Sintered metal |
| 41015 | RC8 | - | | AirCarbon HM 4.2 | Race Cork Grip | Quick Click Strap | 16:9 | Racelite Aero Big Basket | 130-170 (5cm) | 195g (145cm) | Sintered metal |
| 11115 | RC6 | 4 | | Air Carbon HM 4.2 | Race Cork Grip | Quick Click Strap | 16:9 | Racelite Aero Big Basket | 120-170 (5cm) | 195g (145cm) | Hardened steel |
| 41215 | RC5 | 4 | | Air Carbon HM 4.0 | Race Cork Grip | Quick Click Strap | 16:9 | Racelite Aero Big Basket | 120-170 (5cm) | 200g (145cm) | Hardened steel |
| 41515 | RC3 CARBON | | | Air Carbon Composite 3.0 | Cork Grip | Race Strap | 16:9 | Racelite Aero Big Basket | 120-170 (5cm) | 215g (145cm) | Hardened steel |
| 41615 | RC3 | 7 | | Alu 7075 | Cork Grip | Race Strap | 16:9 | Racelite Aero Big Basket | 120-170 (5cm) | 225g (145cm) | Sintered metal |
| 41715 | RC1 | 1 | | Alu 6013 | TPR Grip | Race Strap | 16:9 | Racelite Aero Big Basket | 120-170 (5cm) | 245g (145cm) | Hardened steel |
| VOM | EN NORDIC CRUISING | / SPOE | т | | | | | C part Charles | | | |
| 243916 | CRUISER MY STYLE | 7 | | Alu 6013 | Cork Grip | Comfort Strap | 16:9 | Racelite Aero Big Basket | 120-150 (5cm) | 235g (145cm) | Hardened steel |
| 1 ORD 44016 | IC CRUISING / SPORT XC SUPERLITE TO SUPERLIT | 7 | | Alu 6013 | Cork Grip | Comfort Strap | 16:9 | Racelite Aero Big Basket | 120-165 (5cm) | 235g (145cm) | Hardened steel |
| 43016 | XC CRUISER | 7 | | Alu 6013 | TPR Grip | Comfort Strap | 16:9 | Racelite Aero Big Basket | 120-165 (5cm) | 235g (145cm) | Hardened steel |
| 44116 | XC PERFORMANCE | 7 ° | | Alu 6061 | TPR Grip | Loop 30 Strap | 16:9 | Racelite Aero Big Basket | 120-165 (5cm) | 240g (145cm) | Hardened steel |
| | | | | | | 1 00 | | | | | |
| 43116 | XC SPORT | 0 | | Fibre | Mono Grip | Loop 20 Strap | 15 | Touring 15 Basket | 120-165 (5cm) | 230g (145cm) | Hardened steel |
| | XC SPORT | 9 | VTR) | | Mono Grip | | 15 | Touring 15 Basket | 120-165 (5cm) | 230g (145cm) | Hardened steel |
| FFTI | XC SPORT | KCOUN | | | Mono Grip Multi Grip | | 15 | Touring 15 Basket Flexlite Basket | 120-165 (5cm) 95-160 (variable) | 230g (145cm) 285g | Hardened steel Sintered metal |
|)FFT 45016 | RACK CRUISING / BAC | KCOUN | | 1 | | Strap | | | | | |
|)FFT 145016 | RACK CRUISING / BAC BCX VARIOLITE | KCOUN | | • Alu 7075 | Multi Grip | Strap BC Strap | 16:14:9 | Flexlite Basket | 95-160 (variable) | 285g | Sintered metal |
| OFFT 45016 45116 45415 | RACK CRUISING / BAC BCX VARIOLITE BCX MOUNTAIN OFFTRACK BC COUNTRY | KCOUN | | • Alu 7075 | Multi Grip | Strap BC Strap BC Strap Comfort | 16:14:9 | Flexlite Basket | 95-160 (variable) | 285g 235g (145cm) | Sintered metal Hardened steel |
| DFFT 145016 45116 45415 45516 | RACK CRUISING / BAC BCX VARIOLITE BCX MOUNTAIN OFFTRACK BC COUNTRY | KCOUNT | | Alu 7075 Alu 7075 Alu 6013 | Multi Grip Multi Grip Cork Grip | BC Strap BC Strap Comfort Strap Loop 30 | 16:14:9 16:9 16:9 | Flexlite Basket Flexlite Basket Offtrack Basket | 95-160 (variable) 130-165 (5cm) 120-165 (5cm) | 285g 235g (145cm) 240g (145cm) | Sintered metal Hardened steel Hardened steel |
| 45016 45116 45415 45516 | RACK CRUISING / BAC BCX VARIOLITE BCX MOUNTAIN OFFTRACK BC COUNTRY | KCOUNT | | Alu 7075 Alu 7075 Alu 6013 | Multi Grip Multi Grip Cork Grip | BC Strap BC Strap Comfort Strap Loop 30 | 16:14:9 16:9 16:9 | Flexlite Basket Flexlite Basket Offtrack Basket | 95-160 (variable) 130-165 (5cm) 120-165 (5cm) | 285g 235g (145cm) 240g (145cm) | Sintered metal Hardened steel Hardened steel |
| 45016 45116 45415 45516 UNIC 46115 | RACK CRUISING / BAC BCX VARIOLITE BCX MOUNTAIN OFFTRACK BC COUNTRY | KCOUNT | | Alu 7075 Alu 7075 Alu 6013 Alu 6013 | Multi Grip Multi Grip Cork Grip TPR Grip | BC Strap BC Strap Comfort Strap Loop 30 Strap | 16:14:9 16:9 16:9 | Flexlite Basket Flexlite Basket Offtrack Basket | 95-160 (variable) 130-165 (5cm) 120-165 (5cm) 130-165 (5cm) | 285g 235g (145cm) 240g (145cm) 240g (145cm) | Sintered metal Hardened steel Hardened steel Hardened steel |
| 45016 45116 45415 45516 UNIC 46115 | RACK CRUISING / BAC BCX VARIOLITE BCX MOUNTAIN OFFTRACK BC COUNTRY RCS CARBONLITE JUNIOR RCS JUNIOR VARIO | KCOUNT | | Alu 7075 Alu 7075 Alu 6013 Alu 6013 Air Carbon HM 4.2 | Multi Grip Multi Grip Cork Grip TPR Grip Cork Grip | BC Strap BC Strap Comfort Strap Loop 30 Strap Speed Strap | 16:14:9 16:9 16:9 16:9 | Flexlite Basket Flexlite Basket Offtrack Basket Offtrack Basket Multi Tip Aero S Racelite Aero Big | 95-160 (variable) 130-165 (5cm) 120-165 (5cm) 130-165 (5cm) 110-145 (5cm) | 285g 235g (145cm) 240g (145cm) 240g (145cm) | Sintered metal Hardened steel Hardened steel Hardened steel Sintered metal |
| 443116 DFFTI 445016 445116 445415 UNIC 446216 446315 | RACK CRUISING / BAC BCX VARIOLITE BCX MOUNTAIN OFFTRACK BC COUNTRY RCS CARBONLITE JUNIOR RCS JUNIOR VARIO | KCOUNT | | Alu 7075 Alu 7075 Alu 6013 Alu 6013 Air Carbon HM 4.2 Alu 6013 | Multi Grip Multi Grip Cork Grip TPR Grip Cork Grip Cork Grip | BC Strap BC Strap Comfort Strap Loop 30 Strap Speed Strap Race Strap Comfort | 16:14:9 16:9 16:9 16:9 | Flexlite Basket Flexlite Basket Offtrack Basket Offtrack Basket Multi Tip Aero S Racelite Aero Big Basket Racelite Aero Big | 95-160 (variable) 130-165 (5cm) 120-165 (5cm) 130-165 (5cm) 110-145 (5cm) 95+20 / 105+20 / 115+20 | 285g 235g (145cm) 240g (145cm) 240g (145cm) 175g (120cm) | Sintered metal Hardened steel Hardened steel Sintered metal Hardened steel |

MULTI TIP ROLLER Article no. Z97214 MULTI TIP HOSEL & LOCKER Article no. Z97614 MULTI TIP SYSTEM (COMPLETE KIT) Article no. Z97314

MULTI TIP AERO S Article no. Z97014 MULTI TIP AERO L Article no. Z97114

RECOMMENDED LENGTHS POLES

| ODY HEIGHT | SKA | TING |
|------------|-------|-------|
| cm | from | to |
| 195 | 170 | 175 |
| 190 | 167,5 | 172,5 |
| 185 | 162,5 | 167,5 |
| 180 | 160 | 165 |
| 175 | 155 | 160 |
| 170 | 150 | 155 |
| 165 | 145 | 150 |
| 160 | 140 | 145 |
| 155 | 135 | 140 |
| 150 | 130 | 135 |
| 145 | 125 | 130 |
| 140 | 120 | 125 |
| 135 | 115 | 120 |
| 130 | 110 | 115 |
| 125 | 105 | 110 |

| CLAS | SSIC" |
|-------|-------|
| from | to |
| 162,5 | 167,5 |
| 157,5 | 162,5 |
| 155 | 160 |
| 150 | 155 |
| 145 | 150 |
| 140 | 145 |
| 137,5 | 142,5 |
| 135 | 137,5 |
| 130 | 135 |
| 125 | 130 |
| 120 | 125 |
| 115 | 120 |
| 110 | 115 |
| 105 | 110 |
| 100 | 105 |

| NORDIC C | RUISING |
|----------|---------|
| from | to |
| 155 | 160 |
| 150 | 155 |
| 145 | 150 |
| 140 | 145 |
| 140 | 145 |
| 135 | 140 |
| 130 | 135 |
| 125 | 130 |
| 120 | 125 |
| 115 | 120 |
| 115 | 120 |
| 110 | 115 |
| 105 | 110 |
| 100 | 105 |
| 95 | 100 |

^{*} For skiers with a special focus on the double poling technique we recommend the appropriate pole length at the top end of the Classic table.

| Article no. | | | Model | | NIS | Wheel Diameter / | Width (mm) Ground Clearance | O licoaded (IIII) | Axis-Center Distance (mm) | | Wheel type | | Integrated | Reverse Lock | (ioona voso) | Weight | per piece (g) | | | Core | | | Razor Shape Base | | Bearing | | | Splash Guards |
|-------------|-----------------------|----------|----------|---|-----------------------|------------------|-----------------------------|-------------------|------------------------------|--|---------------------|-------------------------|----------------------------|-------------------|--|-------------------|---------------|------------------|------------|------------------------|---------------------|---------------------|-------------------|---------------|---------------------------------------|---------------|----------------|--------------------------------|
| RACE | | | 199 | 72 497 2 | | | | | | | | | | | | U | | | | | | | | | | | 1 | 9,80 |
| M01015 | CARBONLITE SKATE | 9 | FISCHER | — | | 100 / | 24 29 | | 630 | n | nediu | m | | | | 96 | 5 | | Air | Co | | | • | 60 |)8 2F | RS | | p filled lc/Fiber |
| M01115 | CARBONLITE CLASSIC | 3 | FISCHER | , , | 9 | 80 / | 38 28 | | 745 | n | nediu | m | | | | 1.06 | 35 | | Air | Con | | | | 60 |)8 2F | RS | | p filled lc/Fiber |
| PERF | ORMANCE | LINE | | | | 3760 | A 201 25 | 113 | | 888 | | (10) | 8 | | ė | 100 | | | 00 | | | ú | | | | | 150 | 1931 |
| M02015 | RC7 SKATE | a | ISCHER | -6 | | 100 / | 24 40 | | 620 | n | nediu | m | | | Τ | 85 | 0 | Г | Rein | | | T | | 60 |)8 2F | RS | | p filled lc/Fiber |
| M02115 | RC7 CLASSIC | 0 | SCHER | | 6 | 80 / 3 | 38 30 | | 700 | п | nediu | m | | | | 99 | 0 | | Rein | | | | | 60 | 8 2F | RS | (Tal | p filled lc/Fiber |
| JUNIO | R LINE | 9000 | A - 100 | 10000 | | | | 560 | | 900 | | | | | | | | | (8) | | | | | | | | | |
| M03015 | JUNIOR SKATE | 0 | ici en | | | 80 / 3 | 30 30 | | 530 | n | nediu | m | | | Τ | 730 | 0 | Г | Rein | | | Ī | | 60 | 8 2F | RS | | p filled lc/Fiber |
| M03115 | JUNIOR COMBI | 3 | CHER | -6 | | 80/ | 38 30 | ŧ | 500 | 0 mediun | | m | n • | | 880 | | 0 | F | | Reinforced Aluminum | | | | 60 | 608 2RS | | s pp f | |
| Article no. | | Model | | Sizes | Sole | Bootflex | Weight | Fit Concept | Race Code | World Cup Carbon Cuff World Cup Carbon Cuff | Hinged Polymer Cuff | Integral Carbon Chassis | World Cup Carbon Crosslink | Polymer Crosslink | Injected Exterior Heel Cap Internal Molded Heel Cap | Speed Lock System | Instep Strap | Frame Technology | Thermo Fit | Easy Entry Loops | Extended Fit System | Ratchet Lock Buckle | Integrated Gaiter | Sealed Zipper | Triple F Membrane Wool-like Lining | Fleece Lining | Cleansport NXT | Comfort Guard Thermo Insole |
| ROLLE | ERSKI BOO | TS | | | 19.67 | | | 318 | | | | | | | | | | | | | | | | | | | | |
| S09015 | RCS ROLLER SKATE | | 19 | 38 - 46 | Xcelerator Skate | stiff | 515g / 42 | Race | | | | | | | | | | | | | | | | | | | | |
| S09115 | RCS ROLLER CLASSIC | | 1 | 38 - 46 | Xcelerator Classic | soft | 280g / 42 | Race | | | | | | | | | | | | | | | | | | | | |
| S19215 | RC ROLLER COMBI | | | 38 - 46 | R3 PU 2color | mediur | m 508g / 42 | Race | | | | | | | | | | | | | | | | Ī | Ī | | | |
| Article no. | | Model | | Reflective Multi Tip Sys. Quick Fit | Material | | Grip | | Strap | | | Shaft | | | | Basket | | | | | | Lengths | | | | | Tip | |
| ROLLE | ERSKI POLI | S | 2/16 | | | | 179237 | 100 | | | | | | | 18 | | | | | | | | | | | | | 1 11 |
| Z48414 | RC9 ROLLER | | | 6 | Air Carbo HM 4.5 | | ork Lite Grip | Qu | ick Fit | Strap | | 16: | 9 | N | ∕lulti " | Tip F | Rolle | er | | 135 | 5-17 | 75 (5 | 5cm) | | 5 | Sinte | red | metal |
| Z48514 | RC5 ROLLER | | | | Air Carbo | | aceCork Grip | B | Race S | tran | | 16:9 | | | Po | llerT | in | | T | 100 | 1-17 | 70 / | 5cm) | | , | Sinte | ared | metal |

NGUAGE

RACE



G80016





G80216



G80316



G80416

PRIMALOFT.

Material

Außen: PES / PA / EA Membran: 100% PTFE Innen: 100% PES

Eigenschaften Jacke & Gilet

- Elastischer Rückeneinsatz
- 2 Seitentaschen
- Reflektierende Logo-Drucke
- Elastische Bündchen
- Material-Mix

G80116

Abzippbare Ärmel

Eigenschaften Hose

- Elastische Einsätze
- Reflektierende Drucke
- Winddicht
- Atmungsaktiv
- Wasserabweisend

XXS/XS/S/M/L/XL/XXL

Fabrics

Outer: PES / PA / EA Membrane: 100% PTFE Inner: 100% PES

Features jacket & vest

- Elastic back insert
- 2 side pockets
- · Reflecting print logos Elastic cuffs
- Material-Mix

G80116

Zipp-off-sleeves

Features pant

- Elastic inserts
- Reflecting prints
- Windproof
- Breathable
- Water-resistants



G80516

SOFTSHELL WARM WS-JACKET

Außen: 73% PES / 22% PA / 5% EA Lining: 100% PTFE Innen: 100% PES - softshell

Eigenschaften

- Zwei Seitentaschen
- Reflektierende Logo-Drucke
- Elastische Bündchen
- Klappschieber

Fabrics

Outer: 73% PES / 22% PA / 5% EA Lining: 100% PTFE Inner: 100% PES - softshell

XXS/XS/S/M/L/XL/XXL

- Two side pockets
- Reflecting print logos
- Elastic cuffs
- Semi-lock puller



G81216



G81116

Material

100% PES

Eigenschaften Jacke

- "Primaloft"-Futter
- Angeschnittene Kapuze
- Zwei Seitentaschen
- Ziernähte
- Brusttasche

Eigenschaften Gilet

- "Primaloft"-Futter
- Zwei Seitentaschen
- Ziernähte
- Stretch-Einsätze seitlich und am Rücken

Eigenschaften Hose

- "Primaloft"-Futter
- Durchgehender Seitenzipp
- Seitliche Stretch-Einsätze

XXS/XS/S/M/L/XL/XXL

Fabrics

100% PES

Features jacket

- "Primaloft"-padding
- Attached hood Two sidepockets
- Decorative stitchings
- · Chest-pocket

Features vest

- "Primaloft"-padding
- Two sidepockets
- Decorative stitchings
- · Stretch-inserts on sides and back

Features pant

- "Primaloft"-padding
- Full side zipper
- Stretch-inserts on both sides



RIALE

ASARNA II

ROLLERSKI





G80616





G80816



G80015



G80115



G82016



G82112





RACING SHIRT / PANT

Material

79% PES / 21% EA

Eigenschaften

- Reflektierende Bänder & Drucke
- Ergonomischer Schnitt
- Hochelastisch
- Atmunsgsaktiv
- Schnelltrocknend

Sizes

XXS/XS/S/M/L/XL/XXL

Fabrics

79% PES / 21% EA

Features

- Reflecting tapes & prints
- Ergonomic cut
- High elasticity
- Breathable

Fabrics

Easy dry

RACE-SUIT

Material

79% PES / 21% EA

Eigenschaften

- Stehkragen
- 2-Wege-Zipper
- Ergonomischer Schnitt
- Hochelastisch
- Atmunsgsaktiv
- Schnelltrocknend

Features

Stand-up-collar

79% PES / 21% EA

XS/S/M/L/XL

- 2-way-zipper
- Ergonomic cut
- High elasticity
- Breathable
- Easy dry

SKISHIRT

Material

G80015: 33% CMD / 33% CO / 31% PP / 3% EA G80115: 92% PA / 8% EA

Eigenschaften

G80015: "Transtex"- Funktion Zipp, Stehkragen G80115: "Thermovelours light" Zipp, Stehkragen, elastisch

SKISHIRT

Außen: 86% PES / 14% EA Innen: 60% BW / 40% PP

Eigenschaften

- "Thermo-Innenvelour"
- Bedruckt
- Stehkragen

Sizes XXS/XS/S/M/L/XL/XXL

Fabrics

G80015: 33% CMD / 33% CO / 31% PP / 3% EA G80115: 92% PA / 8% EA

Features G80015: "Transtex"- Functional system, zipper, stand-up-collar G80115: "Thermovelours light" zipper, stand-up collar, elasticity

Sizes XXS/XS/S/M/L/XL/XXL

Outer: 86% PES / 14% EA Inner: 60% CO / 40% PP

Features

- "Thermovelours"
- Allover-print
- Stand-up collar

MICROFIBRE PANT

Material

Außen: 52% PES / 43% PA / 5% EA Innen: 52% PES / 28% PP / 20% BW

Eigenschaften

- Netzfutter
- Guter Schweißtransport schnelltrocknend
- Seitentasche

Material

Hose

Shirt

Gilet

Bequemer Schnitt

Shirt & Vest: 100% PES

Atmungsaktiv

Reflektierende Elemente

Inner: 52% PES / 28% PP / 20% CO

- Mesh lining Moisture Management -

XXS/XS/S/M/L/XL/XXL

Outer: 52% PES / 43% PA / 5% EA

- easy dry Side pocket
- Comfort fit
- · Reflecting elements

Sizes

Fabrics

Tight: 75% PA / 18% EA / 7% PES Shirt & Vest: 100% PES

XXS/XS/S/M/L/XL/XXL

Tight

Ergonomic cut

Shirt

- Breathable
- Vest
- Breathable Reflecting prints
- Atmungsaktiv Reflektierende Drucke

Ergonomischer Schnitt

Tight: 75% PA / 18% EA / 7% PES

57

NORDIC GLOVES / SOCKS

RACING-PRO



PERFORMANCE





STYLE

RACE / RACE JUNIOR









G91814

LOBSTER



G90416 / G90516



G90215



CLASSIC SHORT







G90415

PRIMALOFT.

CLASSIC LONG

XC GLOVES

Eigenschaften

- Oberhand: 50% PA / 50% PES
- Innenhand: 100% Leder
- Beschichteter Handrücken
- Innenhand aus Leder
- Elastik-Bündchen
- Frottee im Daumenbereich

XC GLOVES

Eigenschaften

- Oberhand: 100% PES
- Innenhand: 100% Leder
- Leicht gefüttert
- Strickbündchen
- Innenhand und Fingerkuppen aus Vollleder

XC GLOVES

Eigenschaften

- · Oberhand: 100% PES
- Innenhand: 50% PA / 50% PU
- Softshell-Oberhand
- Clarino im Innenhand-Bereich
- Frottee im Daumenbereich
- Neopren-Bündchen

XC GLOVES

Eigenschaften

- · Oberhand: 100% PES
- Innenhand: 50% PA / 50% PU
- Softshell-Oberhand
- Clarino im Innenhand-Bereich
- Frottee im Daumenbereich
- Neopren-Bündchen

XC GLOVES

Eigenschaften

- · Oberhand: 100% PES
- Innenhand: 50% PA / 50% PU
- Handrücken wasserabweisend
- Clarino im Innenhand-Bereich
- Warm gefüttert
- Frottee im Daumenbereich
- Elastisches Strickbündchen

XC GLOVES

Eigenschaften

- Oberhand: 100% PES
- Innenhand: 60% PA / 40% PU
- Handrücken winddicht
- Clarino im Innenhand-Bereich
- Neopren-Bündchen

XC SOCKS

Material

Skating: 59% Pa-Nylon / 29% Pa-Skinlife / 10% Pa-Nanoglide / 2% EA Classic Short: 42% Pa-Nylon / 18% PAN / 18% Merinowolle / 16% PP / 4% PA-Cordura / 2% EA Classic Long: 45% Pa-Nylon / 19% PES-Primaloft / 19% Merinowolle / 12% PP / 3% PA-Cordura / 2% EA

Eigenschaften Skating

- Knöchel-Stützfunktion
- Schweißtransportierend
- Antibakteriell

Eigenschaften Classic

- Spezielle Polsterungszonen
- Schweißtransportierend G90415: extra-warm durch "PRIMALOFT"-Garn

Sizes 5/6/7/8/9/10/11/12

Features

- Backhand: 50% PA / 50% PES
- Palm: 100% leather
- Coated backhand
- Leather palm
- Elastic cuff
- Terry on thumb

Sizes 5 / 6 / 7 / 8 / 9 / 10 / 11 / 12

Features

- · Backhand: 100% PES
- Palm: 100% leather
- Slightly padded
- knitted cuff
- Palm and fingertips in full leather

Sizes 5 / 6 / 7 / 8 / 9 / 10 / 11 / 12

- Backhand: 100% PES
- Palm: 50% PA / 50% PU
- Softshell at backhand
- Clarino in palm
- Terry on thumb
- Neoprene-cuff

Sizes 5/6/7/8

Features

- Backhand: 100% PES
- Palm: 50% PA / 50% PU
- Softshell at backhand
- Clarino in palm
- Terry on thumb
- Neoprene-cuff

Sizes 5/6/7/8/9/10/11/12

Features

- Backhand: 100% PES Palm: 50% PA / 50% PU
- Water-repellent woven fabric at back
- Clarino in palm
- Warm lining
- Terry on thumb
- Rib cuff with stretch

Sizes 5/6/7/8/9/10/11/12 Junior 3 / 4 / 5 / 6

- Backhand: 100% PES
- Palm: 60% PU / 40% PES
- Windproof backhand Clarino in palm
- Neoprene-cuff

Sizes 35-38, 39-42, 43-46, 46-50

Fabrics

Skating: 59% Pa-Nylon / 29% Pa-Skinlife / 10% Pa-Nanoglide / 2% EA Classic Short: 42% Pa-Nylon / 18% PAN / 18% Merinowool / 16% PP / 4% PA-Cordura / 2% EA Classic Long: 45% Pa-Nylon / 19% PES-Primaloft / 19% Merinowool / 12% PP / 3% PA-Cordura / 2% EA

Features skating

- Ankle protection support
- Moisture transport system
- Antibacterial


Features classic

- Special cushion zones
- Moisture transport system G90415: extra-warm by using
- "PRIMALOFT"-yarn



NORDIC HEADWEAR

NATION



G93715



G93016



IDR



BEITOSTOELEN HEADBAND



G93216





G93316

YUKON



G84511



G84611





G93416

NORDIC



G81811

POLAR

TEAM





G90614



G90515



G90515



G90515

BEANIE

Material

- Außen: 85% PES / 15% EA
- Innen: 100% PES-Fleece

Eigenschaften

- ElastischFleece-Futter

BEANIE

Material

• 78% PES / 22% EA

Eigenschaften

- Elastisch
- Fleece-Futter

BEANIE

Material

78% PES / 22% EA

Eigenschaften

- Frottee-Innenband
- Elastisch

HEADBAND

Material

70% PA / 30% Spandex

Eigenschaften

Breite: 10cm

HEADBAND

Material

50% Wool / 50% PAC

Eigenschaften

- Polycolon-Innenband
- Breite: 10/12cm

BEANIE

Material

45% PA / 42% PES / 13% EA

Eigenschaften

· Winddichtes Stirnband und Einsätze

BEANIE

45% PA / 42% PES / 13% EA

Eigenschaften

- Winddichter Einsatz im Stirnbereich Windproof insert at forehead
- Hochelastisch

BEANIE

Material

• 50% Wolle / 50% PAC

Eigenschaften

· Leichter Strick

BEANIE

Material

- Außen: 50% Wolle, 50% PAC
- Innen: 100% Polypropylene

- Eigenschaften Leichter Strick
- Polycolon-Innenband

Sizes S/M, L/XL

Fabrics

- Outer: 85% PES / 15% EA
- Inner: 100% PES-Fleece

- Elastic
- Full fleece-lining

Sizes S / M, L / XL

Fabrics

• 78% PES / 22% EA

Features

- Elastic
- · Full fleece-lining

Sizes one size

Fabrics

78% PES / 22% EA

Features

- Frotteé-innerband
- Elastic

Sizes one size

Fabrics

70% PA / 30% Spandex

Features

· Height: 10cm

Sizes S / M, L / XL

Fabrics

50% Wool / 50% PAC

Features

- Polycolon-innerband
- Height: 10/12cm

Sizes S / M. L / XL

Fabrics

45% PA / 42% PES / 13% EA

Features

· Windproof headband and front insert

Sizes S / M, L / XL

45% PA / 42% PES / 13% EA

Features

- High elasticity

Sizes one size

Fabrics

50% wool / 50% PAC

Features

· Light weight knit

Sizes one size

Fabrics

- Uuter: 50% wool, 50% PAC
- · Lining: 100% Polypropylene

Features

- Light weight knit
- Polycolon-innerband

BAGS

700816

700316



TEAMTOURER 126 TEAMTRAVELLER 93

Material Volume

100% Duralite ® Z00016: 126 I Z00116: 93 I

Z00016: 81x39x40cm Dimension

Z00116: 66x37x38cm

FEATURES

- · Expandable compartment with front load access
- Bookstyle opening
- Zippered divider panel between upper and lower compartment
- Stands upright with molded feet and inline skate wheels
- Telescopic handle with soft grip

OVER-UNDER CARGO DUFFEL 77



100% Duralite ®

55x39x36cm Dimension

FEATURES

- · U-shaped opening
- Zippered front accessory pocket
- Separate bottom compartment
- Adjustable shoulder strap

Material

SPORTBAG 60 SPORT DUFFEL 100

Material Volume

100% Duralite ® Z00316: 60 I

Dimension

Z00716: 100 I Z00316: 61x33x30cm

Z00716: 76x36x38cm

FEATURES

- U-shaped opening Z00316
- · Removeable shoulder strap Z00716
- Hidden padded backpack straps
- Inline skate wheels
- Telescopic handle with soft grip

TEAM TROLLEY RACE 188

Material Volume

100% Polyester

188 I Dimension 80x47x50cm

FEATURES

- Extra large bookstyle opening
- Extreme resistant & adjustable telescope handle
- Big & resistant wheel system
- Separate bottom compartment
- Internal acc. pocket with zip closure

Z01116

TRAVELBAGS



Z00416



Z00716

700516

BUSINESS CASE 28 / BACKPACK NOTEBOOK 29

Material Volume

100% Duralite ® Z00416: 28 I

Z00516: 29 I Z00416: 41x31x22cm Dimension

Z00516: 40x30x24cm

FEATURES

Z00416

- Padded 17" laptop sleeve
- Adjustable, removable shoulder straps

700516

- Large, multi-compartment design
- Deluxe organizer compartment with multiple pockets and key fob

BUSINESS TROLLEY 42

Material Volume

100% Duralite ®

Dimension 51x34x24cm

421

FEATURES

- Bookstyle opening
- Large main compartment with 17" laptop sleeve
- Hidden padded backpack straps
- Meets carry on airline requirements
- Stands upright with molded feet and inline skate wheels
- Telescopic handle with soft grip

BUSINESS PC TROLLEY 120 / 40



100% Polycarbonat Z00916: 120 I

Z01016: 40 I Z00916: 80x58x34cm Dimension Z01016: 55x39x26cm

FEATURES

- · Ultra light weight construction
- 360° 4 wheel system
- 3 step adjustable telescope handle
- Internal pocket with zip closure
- TSA lock system
- · Scratch resistable design



700216

700916





BACKBAGS



Z11016



Z01316 Z03516

BOOT & HELMET BACKPACK ALPINE RACE 36 / BACKPACK RACE 55 / 40

Material Volume

100% Polyester Z03516: 55 I Z01316: 40 I Z11016: 36 I

FEATURES

- Bottle case
- Adjustable hip belt
- Waterproof bottom

Z11016

- Separate compartment laterally
- · Removable compartment for helmet
- Z01316 & Z03516
- · Side pocket loading

Z05016



Z03616

BACKPACK ECO 25 / FOLDABLE 20

Material

Volume

Z05016: 100% Polyester Z03616: 100% Cordura ®

Z05016: 25 I Z03616: 20 I

- Organizer compartment front net with velcro closure
- 2x bottle compartment Z03616
- Foldable

FEATURES Z05016

- Extremely lightweight with 150g only
- Water resistant material



Z01616



Z05116

BACKPACK NEO 30 / TRANSALP 35

Material Volume

100% Polyester Z01616: 30 I Z05116: 35 I

FEATURES

Z01616

- · Adjustable hip and chest belt
- Extra goggle pouch Z05116

- · Vertical & diagonal ski fixation
- · Icepick & external tool fixation
- Hydration system ready
- Waterproof bottom

BOOTBAGS



Z04115



Z12015

BOOT HELMET BAG ALPINE ECO

Material

100% Polyester

FEATURES

- Lightweight
- Handle and padded shoulder strap
- Separate helmet pocket
- Goggle tube

Z12015

- 3 heating levels (75°, 60° & 45°C) Warning: VACUUM boots = 45°C 220V + 12V car adapter



Z11714 C-Line



Z04016 Race

SKIBOOTBAG ALPINE NORDIC SPEEDMAX

Material

100% Polyester

FEATURES

- · Padded handle straps for transportation
- Ventilation net
- Zippered side pocket

Z11714, Z04016, Z03815 & Z04216

- Water resistant tarpaulin bottom
- Hidden backpack straps
- Mesh for helmet storage

Z12515

- Easy to fold
- Lightweight
- Waterproof tarpaulin bottom
- Polyester jaquard material
- Cushioned middle wall for separation
- Double zipper with with loop





Z04216 VACUUM

SKIBOOTBAG ALPINE / NORDIC ECO

Material

Z03713 My Style

100% Polyester

Z12515 Speedmax

FEATURES

- Easy to fold
- Shoulder straps for transportation
- Double zipper
- Open mesh sleeve

Z10815

- Lightweight
- 1 size fits all: for 1 pair skating or classic boot



SKICASES NORDIC



SKICASE XC 1 PAIR PERFORMANCE

Material Lengths 100% Polyester 195 / 210cm

FEATURES

- 15cm extension
- Handle straps
- Compression straps
- Double zipper



MANCE / WHEELS

Material Lengths

100% Polyester Z02115: 210cm (3 PAIR) Z02915: 210cm (5 PAIR) Z02815: 210cm (5 PAIR

& WHEELS)

FEATURES

- Handle straps
- Compression straps
- Double zipper

702815

• 5 pair with wheels



E XC PERFORMANCE WHEELS

Material Lengths

100% Polyester 210cm

FEATURES

- Compression straps
- Double zipper
- Accessory pocket with zipper

- 10 pair without wheels Z02215
- · 10 pair with wheels



SKICASE XC 1 PAIR MY STYLE

Material Lengths

100% Polyester 185 / 200cm

FEATURES

- 15cm extension
- Handle straps
- Compression straps
- Double zipper



Z02715 / Z02615 / Z02415 / Z02515

SKICASE XC 1 PAIR / 3 PAIR ECO

Material Lengths 100% Polyester Z02715: 170cm (JR) Z02615: 195cm (NC)

Z02415: 210cm (1 PAIR) Z02515: 210cm (3 PAIR)

FEATURES

- Lightweight
- Easy to fold
- Handle straps
- · Double zipper



POLE CASE XC RACE 10 PAIR / ECO 3 PAIR

Material Lengths 100% Polyester Z02408: 170x20x20cm

Z02911: 175x12x12cm

FEATURES

- Tubular construction
- Adjustable in length & transport handle Z02408
- · For 10 pair of nordic poles Z02911
- For 3 pair of nordic poles
- · Ventilation button on bottom

HIPBAGS & DRINKBELTS





Z10015

DRINKBELT PROFESSIONAL

Material

100% Polyester

FEATURES

- · Hip belt with 1L bottle
- Padded back panel
- Main compartment with thermo-insulation add. accessory pocket
- Adjustable waist belt
- Reflective pipings









710315

DRINK- / FITBELT / DRINK BOTTLE / WAISTBAG

Material Volume

100% Polyester Z10215: 0,75L

FEATURES

- Zippered accessory pocket
- · Adjustable waist belt
- Reflective pipings
- Padded back panel

Z10115

Incl. 0,75L bottle

Z10215

Food safe

SKICASES ALPINE



SKICASE WITH BOOT POCKET ALPINE RACE WHEELS

Material Lengths 100% Polyester 195cm

FEATURES

- · Wheels and reinforced bottom
- Integrated boot pocket
- Handle straps
- · Compression straps
- Double zipper



SKICASE ALPINE 2 PAIR RACE WHEELS

Material Lengths 100% Polyester 195cm

FEATURES

- · Wheels and reinforced bottom
- Handle straps
- · Compression straps
- · Double zipper



Z11216 / Z12315 / Z11215

SKICASE ALPINE 1 PAIR RACE / RACE PERFORMANCE / FASHION

Material Lengths 100% Polyester 175 / 190cm

FEATURES

- 15cm extension
- Handle Straps
- Compression straps
- · Double zipper



Z11316 / Z12415 / Z1131

SKICASE ALPINE 3 PAIR RACE / RACE PERFORMANCE / FASHION

Material Lengths

100% Polyester 190cm

FEATURES

- Handle straps
- Compression straps
- Double zipper



100% Polyester

Material Lengths

Z03413: 160 / 175cm Z11614: 175 / 190cm

SKICASE ALPINE 1 PAIR ECO

Material Lengths

100% Polyester Z10915: 160cm Z10615: 175cm Z10715: 190cm

- 15cm extension
- Handle straps

FEATURES

- Compression straps
- Double zipper



Z10915 / Z10615 / Z10715

FEATURES

- Lightweight
- · Easy to fold Handle straps
- Double zipper



- · For all nordic binding systems and for unmounted skis too
- Because of slidable plates adaptable for all ski lengths



XC-FIXATION RUBBER (WAX STAND)

Article no. Z91709 Unit 2



XC-ADJUSTING SCREW / HANDLE (WAX STAND)

Article no. Z91809 Unit 1



XC-SPRING (WAX STAND)

Article no. Z91412



XC-CLAMP (WAX STAND)

Article no. Z91512



Using the XC-TEST BOARD is generally a good way of selecting classic and skating skis. This method is indispensable for choosing classic skis with a waxed base. The advantage is that you can choose the ski that ideally matches the customer's weight. You are then also able to see the length of the waxed zone and mark it on the ski.



XC-TEST BOARD HANDLE

Article no. X19604 Material Wood Unit 1



XC-TEST BOARD ADJUSTING PLATE

Article no. X19504 Material Metal Unit 1



XC-TEST BOARD BASE FRAME

Article no. X19804 Material Aluminium Unit 1

- · Base frame for the elevation of the test board
- · Easier to use for the shop kits

XC-SELECTION BOARD

Article no. W23015
Size 12 x 220cm
Material Metal
Unit 1

With the help of the new XC-SELECTION BOARDS you can determine the wax pocket length and position on classic wax skis without the skier having to stand on the skis. Measuring gauges with different thicknesses can be used to make measuring even more precise for different types of wax.



























LOGO STICKER 15 / 30 / 90

Article no. W621C / W622C / W623C Size 15 / 30 / 90cm length High performance vinyl Material Unit

10/10/5

DIE-CUT LOGO STICKER 20 / 40

Article no. W628C / W627C Size 20 / 40cm length Material High performance vinyl

Unit

STICKER TRIANGLE

Article no. W624C Size 10 x 10cm

Material High performance vinyl

Unit 10

LOGO BADGE SMALL / LARGE

Article no. W571C / W572C 7 / 14cm length Size Material PU / fabric 20 Unit

IRON-ON LOGO BADGE SMALL / MEDIUM

Article no. W625C / W626C Size 7 / 14cm length Fabric

Material 20 Unit

BANNER LARGE / SMALL

Article no. W507C / W564C Size 400 x 100cm / 250 x 70cm Material Polyester, polynova Unit

INDOOR / SNOW / LOGO FLAG

Article no. W550C / W533C / W617C

46 x 220cm / 500cm height / 110 x 500cm Size

Material Polyester, polynova

Unit

INFLATABLE CORNER

Article no. W583C Size 1000 x 600cm Material Polyester Unit

FEATURES

Blower

· Bags and ropes for fixation

UV-proof

ECO TENT

Unit

Article no. W581C 450 x 300 x 330cm Size Material Polyester, metal

FEATURES

- · 4 pillars, roof, side walls
- tent pegs and ropes
- bag